

GARDEN CATALOGUE

scheppach

Germany



LAWN CARE

- 4 – 35** Lawn mowers
- 36 – 41** Robot mowers
- 42 – 45** Ride-on lawnmowers
- 46 – 53** Scarifiers
- 54 – 61** Brush cutters

SHRUB AND HEDGE CARE

- 62 – 69** Multifunctional petrol devices
- 70 – 77** Hedge trimmers

TREE CARE

- 78 – 93** Chainsaws
- 94 – 95** Chain sharpener

FOLIAGE, GROUND AND SOIL

- 96 – 99** Leaf vacuum/blower
- 100 – 101** Leaf blower
- 102 – 103** Sickle bar mower
- 104 – 109** Shredders
- 110 – 119** Motor hoes
- 120 – 123** Rotating sieves

CLEANING TECHNOLOGY

- 124 – 127** Artificial grass sweeper
- 128 – 129** Sweepers
- 130 – 147** Pumps & domestic waterworks




4 – 61

LAWN CARE



62 – 77

SHRUB AND HEDGE CARE



78 – 95

TREE CARE



96 – 123

FOLIAGE, GROUND AND SOIL



124 – 147

CLEANING TECHNOLOGY

2IN1

- ✓ Mowing
- ✓ Collecting



16" PETROL LAWN MOWER

- Powerful 3.3 hp / 2.4 kW, 131 cc 4-stroke petrol engine
- 40 cm cutting width
- Suitable for gardens up to 600 m²
- Robust 35 L collection box
- Fabric collection box for efficient filling and easy emptying
- Foldable handle allows easy storage and transportation
- Axial cutting height adjustment in 3 steps (30 – 66 mm)



SPECIFICATIONS

Dimensions L x W x H	1310 x 470 x 970 mm
Engine displacement	131 cc
Input	2.4 kW / 3.3 HP
Cutting width max.	40 cm
Cutting heights	30 – 66 mm
Deck	plastic
Collection box capacity	35 L

LOGISTICAL DATA

Weight net / gross	16.3 / 18.6 kg
Packaging dimensions	670 x 470 x 350 mm
Article number	5911250903
Barcode	4046664081913
20 Container	258 pcs
40 Container	528 pcs
40 HQ Container	616 pcs



EXAMPLES OF USE SUITABLE FOR

Mowing



Collecting



Thanks to its pleasant haptics, the ergonomic comfort handle ensures that vibrations are cushioned.




PRODUCT DETAILS

Lawn area

600 m²

Cutting height



30 - 66 mm


35 L collector



Cutting width



max. 400 mm

131 cm³, 3,3 PS
Engine power

Rope pull starter system



3 IN 1

- ✓ Mowing
- ✓ Collecting
- ✓ Deck washout port

17" PETROL LAWN MOWER

- Powerful 3.3 hp / 2.4 kW, 131 cc 4-stroke petrol engine
- 42 cm cutting width
- Suitable for gardens up to 800 m²
- Integrated cutting-deck cleaning function with water connection
- Robust 45 L fabric collection box for efficient filling and easy emptying
- Foldable handle allows easy storage and transportation
- Cutting height adjustment in 7 steps (25 – 75 mm)
- QE5 low-emission engine



SPECIFICATIONS

Dimensions L x W x H	1300 x 510 x 1010/1080 mm
Engine displacement	131 cc
Input	2.4 kW / 3.3 HP
Cutting width max.	42 cm
Cutting heights	25 – 75 mm
Deck	Steel
Collection box capacity	45 L

LOGISTICAL DATA

Weight net / gross	20.9 / 23.6 kg
Packaging dimensions	720 x 520 x 460 mm
Article number	5911248903
Barcode	4046664081906
20 Container	175 pcs
40 Container	350 pcs
40 HQ Container	420 pcs



EXAMPLES OF USE SUITABLE FOR

Mowing



Collecting




PRODUCT DETAILS

Lawn area




Cutting height and width



45 L collector



Easy Clean

131 cc, 3,3 HP
Engine power

Pull starter



18" PETROL LAWN MOWER

- Powerful 3.5 hp / 2.6 kW, 150 cc 4-stroke petrol engine
- 46 cm cutting width
- Suitable for gardens up to 1000 m²
- Integrated cutting-deck cleaning function with water connection
- Robust 55 L collection box
- Foldable handle for easy and space-saving storage and transport
- Central cutting height adjustment in **8 steps (25 – 75 mm)**
- Includes side ejection and mulch function
- QE5 low-emission engine

5IN1

- ✓ Mowing
- ✓ Collecting
- ✓ Mulching
- ✓ Side ejection
- ✓ Deck washout port

**SPECIFICATIONS**

Dimensions L x W x H	1450 x 540 x 1120 mm
Engine displacement	150 cc
Input	2.6 kW / 3.5 HP
Cutting width max.	46 cm
Cutting heights	25 – 75 mm
Deck	Steel
Collection box capacity	55 L

LOGISTICAL DATA

Weight net / gross	23 / 27 kg
Packaging dimensions	780 x 565 x 380 mm
Article number	5911244906
Barcode	4046664139591
20 Container	174 pcs
40 Container	360 pcs
40 HQ Container	420 pcs



EXAMPLES OF USE SUITABLE FOR

Mowing



Collecting



Mulching




PRODUCT DETAILS

Lawn area




Cutting height and width



55 l collector



Easy clean

150 cm³, 3,5 PS
Engine power

Rope pull starter system



Thanks to the foldable handle, the lawn mower can be transported easily and without taking up much space.



Easy Clean - cleaning function with water connection.



The side ejector can be easily attached/detached if needed.



The central cutting height adjustment is in 8 steps from 25 to 75 mm.



17" PETROL LAWN MOWER

- Powerful 3.3 hp / 2.4 kW, 131 cc 4-stroke petrol engine
- 42 cm cutting width
- Suitable for gardens up to 800 m²
- Integrated cutting-deck cleaning function with water connection
- Robust 45 L fabric collection box for efficient filling and easy emptying
- Foldable handle allows easy storage and transportation
- Cutting height adjustment in 7 steps (25 – 75 mm)
- QE5 low-emission engine



5IN1

- ✓ Mowing
- ✓ Collecting
- ✓ Mulching
- ✓ Deck washout port
- ✓ Self-propelled



SPECIFICATIONS

Dimensions L x W x H	1380 x 510 x 1010/1080 mm
Engine displacement	131 cc
Input	2.4 kW / 3.3 HP
Cutting width max.	42 cm
Cutting heights	25 – 75 mm
Deck	Steel
Collection box capacity	45 L

LOGISTICAL DATA

Weight gross	23.5 / 28 kg
Packaging dimensions	720 x 530 x 470 mm
Article number	5911249903
Barcode	4046664081920
20 Container	175 pcs
40 Container	350 pcs
40 HQ Container	420 pcs



EXAMPLES OF USE SUITABLE FOR

Mowing




Collecting



Mulching



The wheel drive provides perfect support during mowing – especially for steeper lawns.



Self-propelled




PRODUCT DETAILS

Lawn area



800 m²

Cutting height and width




45 L collector



Easy clean



131 cm³, 3,3 PS
Engine power



Rope pull starter system



Thanks to the foldable handle, the lawn mower can be transported easily and without taking up much space.



Easy Clean - cleaning function
with water connection.

7 cutting heights



The central cutting height adjustment
is in 7 steps from 25 to 75 mm.

17" PETROL LAWN MOWER

- Powerful 3.5 hp / 2.6 kW, 150 cc 4-stroke petrol engine
- 42 cm cutting width
- Suitable for gardens up to 800 m²
- Integrated cutting-deck cleaning function with water connection
- Robust 45 L fabric collection box for efficient filling and easy emptying
- Foldable handle allows easy storage and transportation
- Cutting height adjustment in 7 steps (25 – 75 mm)
- QE5 low-emission engine



- ✓ Mowing
- ✓ Collecting
- ✓ Mulching
- ✓ Deck washout port
- ✓ Self-propelled



SPECIFICATIONS

Dimensions L x W x H	1380 x 510 x 1010/1080 mm
Engine displacement	150 cc
Input	2.6 kW / 3.5 HP
Cutting width max.	42 cm
Cutting heights	25 – 75 mm
Deck	Steel
Collection box capacity	45 L

LOGISTICAL DATA

Weight gross	23.3 / 27.4 kg
Packaging dimensions	725 x 530 x 460 mm
Article number	5911249906
Barcode	4046664110255
20 Container	175 pcs
40 Container	350 pcs
40 HQ Container	420 pcs



EXAMPLES OF USE SUITABLE FOR

Mowing




Collecting



Mulching



The wheel drive provides perfect support during mowing – especially for steeper lawns.



Self-propelled




PRODUCT DETAILS

Lawn area



800 m²

Cutting height and width




45 L collector



Easy clean




150 cm³, 3,5 PS
Engine power



Rope pull starter system



Thanks to the foldable handle, the lawnmower can be transported easily and without taking up much space.



Easy Clean - cleaning function with water connection.

7 cutting heights



The central cutting height adjustment is in 7 steps from 25 to 75 mm.

18" HYBRID STARTER PETROL LAWN MOWER

- Powerful 3.5 hp / 2.7 kW, 150 cc 4-stroke petrol engine
- 46 cm cutting width
- Suitable for gardens up to 1000 m²
- Equipped with professional gearbox for high torque, high performance and a long service life
- Integrated cutting-deck cleaning function with water connection
- Robust 55 L collection box with level indicator
- Foldable handle allows easy storage and transportation
- Integrated side and rear ejection and mulching function for professional results
- Easy mowing thanks to self propulsion
- Central cutting height adjustment, 8 levels (25 – 75 mm)
- QE5 low-emission engine
- Hybrid starter system
- Includes 20 V Scheppach IXES 2 Ah battery and 2.4 A battery charger



INCLUDED

7 IN 1

- ✓ Mowing
- ✓ Collecting
- ✓ Mulching
- ✓ Side ejection
- ✓ Deck washout port
- ✓ Hybrid start
- ✓ Self-propelled



Advantages of HYBRID START

- Auto-choke (no priming needed)
- No pull-start needed
- Lithium battery
- Manual and electric start possible



Part of the battery platform

20 V IXES

ONE BATTERY FOR ALL DEVICES

SPECIFICATIONS

Dimensions L x W x H	1580 x 540 x 1060/1130 mm
Engine displacement	150 cc
Input	2.7 kW / 3.5 HP
Cutting width max.	46 cm
Cutting heights	25 – 75 mm
Deck	Steel
Collection box capacity	55 L

LOGISTICAL DATA

Weight net / gross	27.1 / 31.5 kg
Packaging dimensions	890 x 565 x 380 mm
Article number	5911244903
Barcode	4046664080756
20 Container	174 pcs
40 Container	360 pcs
40 HQ Container	420 pcs



EXAMPLES OF USE SUITABLE FOR

Mowing



Collecting



Mulching



The wheel drive provides perfect support during mowing – especially for steeper lawns.



Self-propelled

Handle can be
folded twiceSteel
housing

Side ejection




The side ejector can be easily attached/detached if needed.

PRODUCT DETAILS

Lawn area




Cutting height and width



55 l collector




Easy clean

150 cm³, 3,5 PS
Engine power

Hybrid start



Thanks to the foldable handle, the lawn mower can be transported easily and without taking up much space.



Easy Clean - cleaning function with water connection.



8 cutting heights

25 - 75 mm



The central cutting height adjustment is in 8 steps from 25 to 75 mm.

18" PETROL LAWN MOWER

- Powerful 3.5 hp / 2.6 kW, 150 cc 4-stroke petrol engine
- 46 cm cutting width
- Suitable for gardens up to 1000 m²
- Equipped with professional gearbox for high torque, high performance and a long service life
- Robust 55 L collection box
- Double folding handle for easy and extra space saving storage
- Side, rear ejection and mulching function
- Lightweight and durable for easy and effortless work
- Central cutting height adjustment in 7 steps
- Integrated cleaning function for fast, effortless cleaning
- QE5 low-emission engine

Lawn area



6 IN 1

- ✓ Mowing
- ✓ Collecting
- ✓ Mulching
- ✓ Side ejection
- ✓ Deck washout port
- ✓ Self-propelled



SPECIFICATIONS

Dimensions L x W x H	1460 x 651 x 1150 mm
Engine displacement	150 cc
Input	2.6 kW / 3.5 HP
Cutting width max.	46 cm
Cutting heights	25 – 75 mm
Deck	steel
Collection box capacity	55 L

LOGISTICAL DATA

Weight net / gross	26.6 / 30 kg
Packaging dimensions	780 x 545 x 500 mm
Article number	5911244905
Barcode	4046664139225
20 Container	174 pcs
40 Container	360 pcs
40 HQ Container	420 pcs



EXAMPLES OF USE SUITABLE FOR

Mowing



Collecting



Mulching



The wheel drive provides perfect support during mowing – especially for steeper lawns.



**Self-
propelled**

Handle can be
folded twice

Steel
housing

Side ejection




The side ejector can be easily attached/detached if needed.

PRODUCT DETAILS

Lawn area




Cutting height and width



55 L collector




Easy Clean

150 cc, 3,5 HP
Engine power

Pull starter



Thanks to the foldable handle, the lawn mower can be transported easily and without taking up much space.



Easy Clean - cleaning function with water connection.



The central cutting height adjustment is in 6 steps from 25 to 75 mm.



20" PETROL LAWN MOWER

- Powerful 4.1 hp / 3 kW, 173 cc 4-stroke petrol engine
- 51 cm cutting width
- Suitable for gardens up to 1600 m²
- Equipped with professional gearbox for high torque, high performance and a long service life
- Integrated cutting-deck cleaning function with water connection
- Robust 55 L collection box
- Folding handle allows easy storage and transportation
- High torque for comfortable working even in tall grass
- Easy mowing thanks to self propulsion
- Central cutting height adjustment in 7 steps (25 - 75 mm)
- QE5 low-emission engine
- Handle at the front for easy transport



6IN1

- ✓ Mowing
- ✓ Collecting
- ✓ Mulching
- ✓ Side ejection
- ✓ Deck washout port
- ✓ Self-propelled



SPECIFICATIONS

Dimensions L x W x H	1640 x 560 x 1060/1130 mm
Engine displacement	173 cc
Input	3 kW / 4,1 HP
Cutting width max.	51 cm
Cutting heights	25 – 75 mm
Deck	Steel
Collection box capacity	65 L

LOGISTICAL DATA

Weight net / gross	29.5 / 33.5 kg
Packaging dimensions	890 x 583 x 500 mm
Article number	5911259903
Barcode	4046664081890
20 Container	156 pcs
40 Container	318 pcs
40 HQ Container	370 pcs



EXAMPLES OF USE SUITABLE FOR

Mowing



Collecting



Mulching



The wheel drive provides perfect support during mowing – especially for steeper lawns.




The side ejector can be easily attached/detached if needed.

PRODUCT DETAILS

Lawn area




Cutting height and width



65 L collector




Easy clean

173 cm³, 4,1 PS
Engine power


Rope pull starter system



Thanks to the foldable handle, the lawnmower can be transported easily and without taking up much space.



Easy Clean - cleaning function with water connection.



The central cutting height adjustment is in 7 steps from 25 to 75 mm.

7 IN 1

- ✓ Mowing
- ✓ Collecting
- ✓ Mulching
- ✓ Side ejection
- ✓ Deck washout port
- ✓ Self-propelled
- ✓ Hybrid start

Advantages of HYBRID START

- Auto-choke (no priming needed)
- No pull-start needed
- Lithium battery
- Manual and electric start possible



SPECIFICATIONS

Dimensions L x W x H	1640 x 560 x 1060/1130 mm
Engine displacement	173 cc
Engine power	3 kW / 4.1 HP
Cutting width max.	51 cm
Cutting heights	25 – 75 mm
Deck	Steel
Collection box capacity	65 L

LOGISTICAL DATA

Weight net / gross	30.5 / 35 kg
Packaging dimensions	860 x 570 x 365 mm
Article number	5911247905
Barcode	4046664109211
20 Container	156 pcs
40 Container	318 pcs
40 HQ Container	370 pcs



EXAMPLES OF USE SUITABLE FOR

Mowing



Collecting



Mulching



The wheel drive provides perfect support during mowing – especially for steeper lawns.

**Self-propelled****Handle can be folded twice****Steel housing****Side ejection****Handle**


The side ejector can be easily attached/detached if needed.

PRODUCT DETAILS

Lawn area




Cutting height and width



65 l collector




Easy clean

173 cm³, 4.1 PS
Engine power

Hybrid start



Thanks to the foldable handle, the lawnmower can be transported easily and without taking up much space.



Easy Clean - cleaning function with water connection.



7 cutting heights

25 - 75 mm

The central cutting height adjustment is in 7 steps from 25 to 75 mm.

20" PETROL LAWN MOWER

- Powerful 5.2 hp / 3.8 kW, 200 cc 4-stroke petrol engine
- 51 cm cutting width for optimal coverage
- Suitable for gardens up to 1600 m²
- Equipped with professional gearbox for high torque, high performance and a long service life
- Integrated cutting-deck cleaning function with water connection
- Robust 65 L collection box
- Folding handle allows easy storage and transportation
- High torque for comfortable working even in tall grass
- Easy mowing thanks to self propulsion
- Central cutting height adjustment in 7 steps (25 – 75 mm)
- QE5 low-emission engine
- Handle at the front for easy transport

6 IN 1

- ✓ Mowing
- ✓ Collecting
- ✓ Mulching
- ✓ Side ejection
- ✓ Deck washout port
- ✓ Self-propelled



SPECIFICATIONS

Dimensions L x W x H	1640 x 560 x 1060/1130 mm
Engine displacement	200 cc
Input	3.8 kW / 5.2 HP
Cutting width max.	51 cm
Cutting heights	25 – 75 mm
Deck	Steel
Collection box capacity	65 L

LOGISTICAL DATA

Weight net / gross	30.8 / 35.5 kg
Packaging dimensions	890 x 583 x 500 mm
Article number	5911246906
Barcode	4046664175209
20 Container	130 pcs
40 Container	265 pcs
40 HQ Container	318 pcs



EXAMPLES OF USE SUITABLE FOR

Mowing



Collecting



Mulching



The wheel drive provides perfect support during mowing – especially for steeper lawns.



Self-propelled

Handle can be
folded twiceSteel
housing

Side ejection

Handle




The side ejector can be easily attached/detached if needed.

PRODUCT DETAILS

Lawn area




Cutting height and width



65 L collector




Easy clean

200 cm³, 5,2 PS
Engine power

Rope pull starter system




Thanks to the foldable handle, the lawn mower can be transported easily and without taking up much space.



Easy Clean - cleaning function with water connection.



7 cutting heights



The central cutting height adjustment is in 7 steps from 25 to 75 mm.

7 IN 1

Part of the battery platform
20 VIXES
 ONE BATTERY FOR ALL DEVICES

- ✓ Mowing
- ✓ Collecting
- ✓ Mulching
- ✓ Side ejection
- ✓ Deck washout port
- ✓ Self-propelled
- ✓ Hybrid-Start



INCLUDED

**SPECIFICATIONS**

Dimensions L x W x H	1640 x 560 x 1060/1130 mm
Engine displacement	200 cc
Input	3.8 kW / 5.2 HP
Cutting width max.	51 cm
Cutting heights	25 – 75 mm
Deck	Steel
Collection box capacity	65 L

LOGISTICAL DATA

Weight net / gross	30,8 / 35,5 kg
Packaging dimensions	890 x 583 x 500 mm
Article number	5911268903
Barcode	4046664175216
20 Container	130 pcs
40 Container	265 pcs
40 HQ Container	318 pcs



EXAMPLES OF USE SUITABLE FOR

Mowing




Collecting



Mulching



The wheel drive provides perfect support during mowing – especially for steeper lawns.



Self-pro-
pelled

Handle can be
folded twice

Steel
housing

Side ejection

Handle




The side ejector can be easily attached/detached if needed.

PRODUCT DETAILS

Lawn area



Cutting height and width




65 L collector



Easy clean




200 cm³, 5,2 PS
Engine power



Hybrid start



Thanks to the foldable handle, the lawnmower can be transported easily and without taking up much space.



Easy Clean - cleaning function with water connection.

7 cutting heights

25 – 75 mm



The central cutting height adjustment is in 7 steps from 25 to 75 mm.

6 IN 1



- ✓ Mowing
- ✓ Collecting
- ✓ Mulching
- ✓ Side ejection
- ✓ Deck washout port
- ✓ Self-propelled



21" PETROL LAWN MOWER

- Powerful 7 hp / 5.15 kW, 224 cc 4-stroke petrol engine
- XXL cutting width of 53 cm
- Suitable for gardens up to 1800 m²
- With professional gearbox for extra high torque and particularly high performance
- Integrated cutting-deck cleaning function for lightning-fast cleaning
- Robust 65 L collection box
- Double folding handle for easy and extreme space-saving storage
- Integrated side and rear ejection and mulching function for professional results
- Easy mowing, even on slopes, thanks to the selectable propulsion drive
- Central cutting height adjustment in 7 steps (25 – 75 mm)
- QE5 low-emission engine
- Handle at the front for easy transport



SPECIFICATIONS

Dimensions L x W x H	1610 x 695 x 1055 – 1140 mm
Engine displacement	224 cc
Input	4.4 kW / 6 HP
Cutting width max.	53 cm
Cutting heights	25 – 75 mm
Deck	Steel
Collection box capacity	65 L

LOGISTICAL DATA

Weight net / gross	32.2 / 36.2 kg
Packaging dimensions	890 x 583 x 500 mm
Article number	5911241903
Barcode	4046664070566
20 Container	130 pcs
40 Container	260 pcs
40 HQ Container	310 pcs



EXAMPLES OF USE SUITABLE FOR



The wheel drive provides perfect support during mowing – especially for steeper lawns.




A woman with long blonde hair, wearing a green long-sleeved shirt and blue jeans, is kneeling on the ground next to a red and black riding lawnmower. She is holding a red plastic side ejector and is in the process of attaching it to the side of the lawnmower. The lawnmower has a black engine compartment and a black deck with a red side panel. The background is a plain, light-colored wall.

PRODUCT DETAILS

Lawn area



Cutting height and width




65 L collector




Easy clean



224 cm³, 6 PS
Engine power



Rope pull starter system



Easy Clean - cleaning function with water connection.



The side ejector can be easily attached/detached if needed.

The central cutting height adjustment is in 7 steps from 25 to 75 mm.

7 IN 1

- ✓ Mowing
- ✓ Collecting
- ✓ Mulching
- ✓ Side ejection
- ✓ Deck washout port
- ✓ Hybrid start
- ✓ Self-propelled

Advantages of
HYBRID START

- Auto-choke (no priming needed)
- No pull-start needed
- Lithium battery
- Manual and electric start possible



Lawn area



Part of the battery platform
20 V IXES
ONE BATTERY FOR ALL DEVICES



INKLUSIVE

SPECIFICATIONS

Dimensions L x W x H	1610 x 695 x 1055 – 1140 mm
Engine displacement	224 cc
Input	4,4 kW / 6 HP
Cutting width max.	53 cm
Cutting heights	25 – 75 mm
Deck	Steel
Collection box capacity	65 L

LOGISTICAL DATA

Weight net / gross	34.4 / 39.6 kg
Packaging dimensions	860 x 580 x 500 mm
Article number	5911245903
Barcode	4046664080763
20 Container	130 pcs
40 Container	260 pcs
40 HQ Container	310 pcs



EXAMPLES OF USE SUITABLE FOR

Mowing



Collecting



Mulching



The wheel drive provides perfect support during mowing – especially for steeper lawns.



Self-propelled

Handle can be folded twice

Steel housing

Side ejection

Handle




The side ejector can be easily attached/detached if needed.

PRODUCT DETAILS

Lawn area




Cutting height and width



65 L collector




Easy clean

224 cm³, 6 PS
Engine power

Hybrid start



Thanks to the foldable handle, the lawn mower can be transported easily and without taking up much space.



Easy Clean - cleaning function with water connection.



7 cutting heights

25 - 75 mm

The central cutting height adjustment is in 7 steps from 25 to 75 mm.

21" PETROL LAWN MOWER

- Powerful 6 HP / 4.4 kW, 224 cc 4-stroke petrol engine
- XXL cutting width of 56 cm
- Suitable for gardens up to 2200 m²
- With professional gearbox for extra high torque and particularly high performance
- Integrated cutting-deck cleaning function for lightning-fast cleaning
- Robust 65 L collection box
- Double folding handle for easy and extreme space-saving storage
- Integrated side and rear ejection and mulching function for professional results
- Easy mowing, even on slopes, thanks to the selectable propulsion drive
- Central cutting height adjustment in 7 steps (25 – 75 mm)
- QE5 low-emission engine
- Handle at the front for easy transport



- ✓ Mowing
- ✓ Collecting
- ✓ Mulching
- ✓ Side ejection
- ✓ Deck washout port
- ✓ Self-propelled



SPECIFICATIONS

Dimensions L x W x H	1610 x 695 x 1055 – 1140 mm
Engine displacement	224 cc
Input	4.4 kW / 6 HP
Cutting width max.	56 cm
Cutting heights	25 – 75 mm
Deck	Steel
Collection box capacity	65 L

LOGISTICAL DATA

Weight net / gross	35 / 38 kg
Packaging dimensions	890 x 583 x 500 mm
Article number	5911277903
Barcode	4046664193289
20 Container	130 pcs
40 Container	260 pcs
40 HQ Container	310 pcs



EXAMPLES OF USE SUITABLE FOR

Mowing




Collecting



Mulching



The wheel drive provides perfect support during mowing – especially for steeper lawns.




PRODUCT DETAILS

Lawn area




Cutting height and width



65 L collector



Easy clean

224 cm³, 6 PS
Engine power


Hybrid start



The side ejector can be easily attached/detached if needed.



Thanks to the foldable handle, the lawnmower can be transported easily and without taking up much space.



Easy Clean - cleaning function with water connection.



The central cutting height adjustment is in 7 steps from 25 to 75 mm.

7 IN 1

- ✓ Mowing
- ✓ Collecting
- ✓ Mulching
- ✓ Side ejection
- ✓ Deck washout port
- ✓ Hybrid start
- ✓ Self-propelled



Advantages of HYBRID START

- Auto-choke (no priming needed)
- No pull-start needed
- Lithium battery
- Manual and electric start possible



Lawn area



Part of the battery platform
20 V IXES
 ONE BATTERY FOR ALL DEVICES

53 CM HYBRID-STARTER PETROL LAWN MOWER

- Powerful 224 cc 4-stroke petrol engine, 6 hp/4.4 kW
- XXL cutting width of 56 cm
- Suitable for gardens up to 2,200 m²
- Features professional transmission for extra high torque and performance
- Easy Clean – cleaning function with water connection
- Robust 65 litre fabric collector
- Foldable handle for easy and space-saving storage
- Integrated ejection on the side and at the back as well as mulch function for a professional result
- Easy mowing even on slopes, thanks to wheel drive that can be used in addition
- Central cutting height can be adjusted in 7 steps from 25 to 75 mm
- QE5 low-emission engine
- Hybrid starter system
- Carrying handle at the front for easy transport
- Includes 20 V Scheppach IXES 2 Ah battery and 2.4 A battery charger

INCLUDED



SPECIFICATIONS

Dimensions L x W x H	1610 x 695 x 1055 – 1140 mm
Engine displacement	224 cm ³
Input	4.4 kW / 6 PS
Cutting width max.	56 cm
Cutting heights	25 – 75 mm
Deck	Steel
Collection box capacity	65 L

LOGISTICAL DATA

Weight net / gross	33.25 / 38.2 kg
Packaging dimensions	885 x 580 x 440 mm
Article number	5911276903
Barcode	4046664227687
20 Container	120 pcs
40 Container	255 pcs
40 HQ Container	306 pcs



EXAMPLES OF USE SUITABLE FOR

Mowing



Collecting



Mulching



The wheel drive provides perfect support during mowing – especially for steeper lawns.



Self-propelled

Handle can be folded twice

Steel housing

Side ejection

Handle




The side ejector can be easily attached/detached if needed.

PRODUCT DETAILS

Lawn area




Cutting height and width



65 L collector




Easy clean

224 cm³, 6 PS
Engine power


Hybrid start



Thanks to the foldable handle, the lawnmower can be transported easily and without taking up much space.



Easy Clean - cleaning function with water connection.



7 cutting heights

25 – 75 mm



The central cutting height adjustment is in 7 steps from 25 to 75 mm.



6 IN 1

- ✓ Mowing
- ✓ Collecting
- ✓ Mulching
- ✓ Side ejection
- ✓ Deck washout port
- ✓ Self-propelled



SPECIFICATIONS

Engine displacement	173 cm ³
Input	3,0 kW / 4,1 PS
Cutting width max.	51 cm
Cutting heights	25 – 75 mm
Deck	Steel
Collection box capacity	65 L

51 CM PETROL LAWN MOWER

- High-performance 4-stroke petrol engine, 173 cc, 4.1 horsepower/3.0 kW, with pull starter
- Suitable for lawns up to 1600 m²
- Front wheel can be locked if required - ideal for uneven terrain
- Three-wheeled construction allows exceptional manoeuvrability, while also offering a wide cutting width of 51 cm
- Features professional transmission for high torque, performance and a long service life
- Robust 65 litre collector
- Foldable handle for easy and space-saving storage and transport
- Excellent performance even in long grass
- Easy mowing and mulching, thanks to wheel drive
- Cutting height adjustment in 7 steps (25 to 70 mm)

LOGISTICAL DATA

Article number	5911260903
Barcode	4046664139478
20 Container	120 pcs
40 Container	240 pcs
40 HQ Container	288 pcs



EXAMPLES OF USE SUITABLE FOR

Mowing



Collecting



Mulching



The wheel drive provides perfect support during mowing – especially for steeper lawns.



Self-propelled




PRODUCT DETAILS

Lawn area




Cutting height and width



65 L collector



Easy clean

173 cm³, 4,1 PS
Engine power

Rope pull starter system



Thanks to the foldable handle,
the lawn mower can be
transported easily and without
taking up much space.



If required, the front
wheel can be locked.



The side ejector can be easily
attached/detached if needed.



The central cutting height adjustment
is in 7 steps from 25 to 75 mm.

ROBOT MOWER UP TO 600 M²

- Perfect for gardens with a lawn area of up to 600 m²
- Cutting width 180 mm
- Cutting height of 20 – 60 mm steplessly adjustable
- Includes edge mowing function
- Automatic return function to charging station
- Low-noise - 55 dB
- Gradients of up to 35% possible
- Control via app using Bluetooth or WiFi
- Individual moving zones can be configured using the app
- Safety sensor technology with bumper, tilt and lift sensors
- Includes theft protection via PIN
- Digital display with keys for intuitive operation
- Charging station including power pack with 6,3 m connection cable
- Includes 1.1 A charging station, 130 m boundary wire, 180 ground anchors, 9 mowing blades (3 pre-installed, 6 replacement blades)

OPTIONAL ACCESSORIES


GARAGE
FOR ROBOT
LAWNMOWER

Article number: 7913001717
Barcode: 4014915236641


PRODUCT DETAILS

600 m² area

up to 35% gradient



Cutting height and width



Rain sensor



Wifi & Bluetooth



Can be controlled via app



SPECIFICATION

Dimensions charging station L x W x H	610 x 225 x 435 mm
Dimensions mower L x W x H	530 x 360 x 225 mm
Sound level (LpA)	55 dB
Cutting width max.	180 mm
Cutting height adjustment	20 – 60 mm
Area	max. 600 m ²
Motor	20 V~
Battery	2 Ah

LOGISTICAL DATA

Weight net / gross	8 / 14.2 kg
Packaging dimensions	730 x 445 x 275 mm
Article number	5913003901
Barcode	4046664154051
20 Container	305 pcs
40 Container	630 pcs
40 HQ Container	724 pcs



SPECIAL FEATURE

SMART APP CONTROL

- ✓ Device status
- ✓ Edit mowing plan
- ✓ Edge cutting function
- ✓ Configure mowing zones
- ✓ Start/stop mowing
- ✓ Return function to charging station

BRUSHLESS MOTOR



PRODUCT DETAILS

Theft protection with PIN code safety device



Operating time 60 min



Battery 20 V / 2 Ah



Charging time 120 min



Floating cutting head



Mowing equipment cleaning




Cutting height of 20 – 60 mm
steplessly adjustable.



The floating cutting head reliably and quickly
compensates for uneven surfaces



Manual stop function



Rain sensor



Charging station including
power pack with 6,3 m
connection cable



3 in-built
blades



ROBOT MOWER UP TO 900 M²

- Perfect for gardens with a lawn area of up to 900 m²
- Cutting width 180 mm
- Cutting height of 20 – 60 mm steplessly adjustable
- Includes edge mowing function
- Automatic return function to charging station
- Low-noise - 55 dB
- Gradients of up to 35% possible
- Control via app using Bluetooth or WiFi
- Individual moving zones can be configured using the app
- Safety sensor technology with bumper, tilt and lift sensors
- Includes theft protection via PIN
- Digital display with keys for intuitive operation
- Charging station including power pack with 6,3 m connection cable
- Includes 1.1 A charging station, 170 m boundary wire, 230 ground anchors, 9 mowing blades (3 pre-installed, 6 replacement blades)

OPTIONAL ACCESSORIES

GARAGE
FOR ROBOT
LAWNMOOWER

Article number: 7913001717
Barcode: 4014915236641



SPECIFICATION

Dimensions charging station L x W x H	610 x 225 x 435 mm
Dimensions mower L x W x H	530 x 360 x 225 mm
Sound level (LpA)	55 dB
Cutting width max.	180 mm
Cutting height adjustment	20 – 60 mm
Area	max. 900 m ²
Motor	20 V~
Battery	4 Ah

LOGISTICAL DATA

Weight net / gross	8 / 15.8 kg
Packaging dimensions	730 x 445 x 275 mm
Article number	5913002901
Barcode	4046664154082
20 Container	305 pcs
40 Container	630 pcs
40 HQ Container	724 pcs



SPECIAL FEATURE

SMART APP CONTROL

- ✓ Device status
- ✓ Edit mowing plan
- ✓ Edge cutting function
- ✓ Configure mowing zones
- ✓ Start/stop mowing
- ✓ Return function to charging station

BRUSHLESS MOTOR



PRODUCT DETAILS

Theft protection with PIN code safety device



Operating time 120 min



Battery 20 V / 4 Ah



Charging time 110 min



Floating cutting head



Mowing equipment cleaning




Cutting height of 20 – 60 mm
steplessly adjustable.



The floating cutting head reliably and quickly
compensates for uneven surfaces



Manual stop function



Rain sensor

3 in-built
blades



Charging station including
power pack with 6,3 m
connection cable



GARAGE FOR ROBOT LAWNMOWER

- Weatherproof garage for Scheppach robot mowers
- High-quality, powder-coated steel – therefore particularly robust and durable
- Easy assembly
- Ensures reliable protection from rain, wind, hail and sun
- Adaptable installation
- Design allows drainage of rain water

MADE IN
GERMANY

**LOGISTICAL DATA**

Weight net / gross	5,8 / 7,0 kg
Packaging dimensions	755 x 450 x 115 mm
Article number	7913001717
Barcode	4014915236641

SPECIFICATIONS

Dimensions L x W x H	740 x 440 x 300 mm
Material	Powder-coated steel



PROTECTS FROM WEATHER CONDITIONS SUCH AS

Wind



Precipitation



Heat



UV rays



PRODUCT DETAILS

Easy to assemble

Suitable for all models
from this seriesProtection from
weather influences

Robust

Ensures reliable protection from rain,
wind, hail and sun.The garage can be easily
assembled together with the
charging station.Robot mower garage made of high-quality,
powder-coated steel – therefore particularly
robust and durable.

61 CM PETROL RIDE-ON LAWNMOWER

- Extra wide cutting width of 61 cm
- Powerful 3.5 kW/4.8 horsepower 4-stroke petrol engine with 196 cm³
- Suitable for lawns up to 2600 m²
- Central cutting height adjustment in 5 steps from 35 to 75 mm
- Hybrid starter system – easy start-up using electro start or pull starter
- 4 forward gears (1.5/2.0/4.0/6.0 km/h) and 1 reverse gear (2.4 km/h)
- Robust steel mower unit
- Large 150 litre collector
- Mowing unit can be activated and deactivated manually
- Easy to clean, thanks to water connection
- Large, air-filled tyres ensure good grip
- Maximum incline 10°



Advantages of HYBRID-START

- Auto-choke (no priming needed)
- No pull-start needed
- Lithium battery
- Manual and electric start possible

6IN1

- ✓ Mowing
- ✓ Collecting
- ✓ Side ejection
- ✓ Deck washout port
- ✓ Self-propelled
- ✓ Electric start

Part of the battery platform

20 VIXES
ONE BATTERY FOR ALL DEVICES



INCLUDED

SPECIFICATIONS

Dimensions L x W x H	1820 x 720 x 1090 mm
Engine displacement	196 cm ³
Output	3.5 kW / 4.8 HP
Cutting width max.	61 cm
Cutting heights	35 – 75 mm
Deck	Steel
Collection box capacity	150 L

LOGISTICAL DATA

Weight net / gross	120 / 143,5 kg
Packaging dimensions	1480 x 770 x 855 mm
Article number	5911293901
Barcode	4046664252801
20 Container	24 pcs
40 Container	48 pcs
40 HQ Container	72 pcs



EXAMPLES OF USE SUITABLE FOR

Mähen



Seitenauswurf



Fangen



Speed forward

1.5 / 2.0 / 4.0 / 6.0 km/h



Speed reverse


2.4 km/h



There is sufficient space for cut materials in the robust 150 litre collector.



The side ejection is easy to attach and allows mowing of higher grass as well.



Central cutting height adjustment in 5 steps from 35 to 75 mm.

PRODUCT DETAILS


Lawn area




150 L collector



Cutting height and width



Max. incline 10°

196 cm³, 4.8 HP
3.5 kW

Max. width 720 mm



Easy start-up
using e-starter or
pull starter



Adjustable seat
ensures a comfortable,
ergonomic sitting position



Easy Clean
cleaning function with
water connection



Four forwards gears and one reverse gear
allow convenient operation and manoeuvring.

61 CM PETROL RIDE-ON LAWNMOWER

- Extra wide cutting width of 61 cm
- Powerful 4.4 kW/6.0 horsepower 4-stroke petrol engine with 224 cm³
- Suitable for lawns up to 2600 m²
- Central cutting height adjustment in 5 steps from 35 to 75 mm
- Hybrid starter system – easy start-up using electro start or pull starter
- 4 forward gears (1.5/2.0/4.0/6.0 km/h) and 1 reverse gear (2.4 km/h)
- Robust steel mower unit
- Large 150 litre collector
- Mowing unit can be activated and deactivated manually
- Easy to clean, thanks to water connection
- Large, air-filled tyres ensure good grip
- Maximum incline 10°



Advantages of HYBRID-START

- Auto-choke (no priming needed)
- No pull-start needed
- Lithium battery
- Manual and electric start possible

6IN1

- ✓ Mowing
- ✓ Collecting
- ✓ Side ejection
- ✓ Deck washout port
- ✓ Self-propelled
- ✓ Electric start

Part of the battery platform

20 VIXES
ONE BATTERY FOR ALL DEVICES



INCLUDED

SPECIFICATIONS

Dimensions L x W x H	1820 x 720 x 1090 mm
Engine displacement	224 cm ³
Output	4.4 kW / 6 PS
Cutting width max.	61 cm
Cutting heights	35 – 75 mm
Deck	Steel
Collection box capacity	150 L

LOGISTICAL DATA

Weight net / gross	120 / 143,5 kg
Packaging dimensions	1480 x 770 x 855 mm
Article number	5911292901
Barcode	4046664252818
20 Container	24 pcs
40 Container	48 pcs
40 HQ Container	72 pcs



EXAMPLES OF USE SUITABLE FOR

Mowing



Side ejection



Collecting



There is sufficient space for cut materials in the robust 150 litre collector.



Easy start-up

using e-starter or
pull starter



Adjustable seat

ensures a comfortable,
ergonomic sitting position



Easy Clean


cleaning function with
water connection



The side ejection is easy to attach and
allows mowing of higher grass as well.



Central cutting height adjustment in 5 steps from 35 to 75 mm.



Four forwards gears and one reverse gear
allow convenient operation and manoeuvring.

Speed forward

1.5 / 2.0 / 4.0 / 6.0 km/h



Speed reverse

2.4 km/h

PRODUCT DETAILS


Lawn area




150 L collector



Cutting height and width



Max. incline 10°

224 cm³, 6 HP
4.4 kW

Max. width 720 mm



32 CM ELECTRIC LAWN SCARIFIER

- Powerful 1500 W motor
- Working width 32 cm
- Working height adjustment in 4 steps
- Large 30 L catcher
- Scarifying roller with 16 blades
- Aerator attachment with 20 claws



4-steps

**500 M²
AREA**

500 m²

3 IN 1

- ✓ Scarifying
- ✓ Aerating
- ✓ Collecting

**LOGISTICAL DATA**

Weight net / gross	9.3 / 11 kg
Packaging dimensions	525 x 425 x 308 mm
Article number	5912006901
Barcode	4046664076261
20 Container	420 pcs
40 Container	880 pcs
40 HQ Container	1000 pcs

SPECIFICATIONS

Dimensions L x W x H	1130 x 505 x 920 mm
Working width	32 cm
Scarifier height	-12 to +4 mm
Height adjustment	4-steps, central
Number of blades	16
Number of springs	20
Collector capacity	30 L
Motor	230 – 240 V~ / 50 Hz
Output	1500 W



EXAMPLES OF USE

3-IN-1 FUNCTION

Scarifying



Aerating




Collecting



Before scarifying/aerating

Poor nutrient intake,
poor roots, moss
and lawn thatch.



After scarifying/aerating

Dense & strong lawn,
deeper roots and significantly
improved nutrient intake.



PRODUCT DETAILS

500 m² area

Height adjustment 4-fold



Working width max. 32 cm



1500 W



Transportable



Collection bag



Foldable handle

for easy transport and space-saving storage.



Carrying handle

for easy transport.



Catch basket
30 liters capacity



Height adjustment 4-fold
easy adjustment of the scarifying depth.



3 IN 1

- ✓ Scarifying
- ✓ Aerating
- ✓ Collecting

Ergonomic handle

Dead man's handle

Fully foldable handle

Large capacity collector: 45 litres

Central height adjustment

Carrying handle

Powerful 1600 W motor



SPECIFICATIONS

Dimensions L x W x H	1130 x 605 x 1085 mm
Working width	38 cm
Working height	from -12 to +6 mm
Height adjustment	centrally adjustable in 5 positions
Number of blades	16
Number of claws	24
Collector capacity	45 L
Motor	230 – 240 V~ / 50 Hz
Output	1600 W

LOGISTICAL DATA

Weight net / gross	12.8 / 14.4 kg
Packaging dimensions	595 x 450 x 345 mm
Article number	5912007901
Barcode	4046664123736
20 container	300 pcs
40 container	626 pcs
40 HQ container	725 pcs



EXAMPLES OF USE

3-IN-1 FUNCTION

Scarifying



Aerating




Collecting



Before scarifying/aerating

Poor nutrient intake,
poor roots, moss
and lawn thatch.



After scarifying/aerating

Dense & strong lawn,
deeper roots and significantly
improved nutrient intake.



PRODUCT DETAILS

700 m² area

Height adjustment 5-fold



Working width max. 38 cm



1600 W



Transportable



Collection bag



Foldable handle

with the quick-release fastene



Carrying handle

for easy transport.



Height adjustment 5-fold
easy adjustment of the scarifying depth.



Guide bar
ergonomic customizable.



PETROL LAWN SCARIFIER

- High-performance 5.4 horsepower 4 kW 4-stroke petrol engine, 212 cc
- Recommended for lawns up to 1,400 m²
- Central work height adjustment in 6 steps from -15 to +5 mm
- Large 40 l volume grass box
- Pull starter
- Foldable handle for space-saving storage and easy transport
- Cutting roller with ball bearings (pre-assembled) with 15 premium-quality steel blades
- Large wheels that are gentle on the lawn
- Robust and durable metal housing

**1.400 M²
AREA**

**SPECIFICATIONS**

Dimensions L x W x H	1150 x 585 x 1110 mm
Working width	40 cm
Scarifier height	-15 bis +5 mm
Height adjustment	6-steps, central
Number of blades	15
Collector capacity	40 L
Fuel tank capacity	3,6 L
Engine displacement	212 cc
Motor	4-stroke, full crank engine
Output	4 kW / 5,4 HP

LOGISTICAL DATA

Weight net / gross	28,2 / 31,2 kg
Packaging dimensions	600 x 570 x 550 mm
Article number	5911904903
Barcode	4046664215677
20 Container	144 pcs
40 Container	304 pcs
40 HQ Container	304 pcs



EXAMPLES OF USE

2-IN-1 FUNCTION

Scarifying



Collecting

40L

Before scarifying/aerating

Poor nutrient intake,
poor roots, moss
and lawn thatch.



After scarifying/aerating

Dense & strong lawn,
deeper roots and significantly
improved nutrient intake.



Foldable handle

with quick-release fastener



Collecting bag

40 L

PRODUCT DETAILS

1.400 m² areaWorking height
adjustment in 6 steps

Working width max. 40 cm

212 cc, 5.4 HP
Power output

Transportable



Collecting bag



Working height adjustment in 6 steps

for easy configuration of the scarifying depth



A LAWN MOWER BLADES**B COVER****A LAWN MOWER BLADES**

400 MM for MP132-40
Article number: 7911200630
Barcode: 4046664148920

420 MMM for MP132-42, MS132-42 and MS150-42
Article number: 7911200625
Barcode: 4046664127680

460 MM for MP150-46, MS150-46E and MS161-46
Article number: 7911200626
Barcode: 4046664127697

510 MM for MS173-51, MS173-51E, MS200-51 and MS200-51E
Article number: 7911200628
Barcode: 4046664127710

530 MM for MS225-53 and MS225-53E
Article number: 7911200627
Barcode: 4046664127703

600 MM for MR196-61 and MR224-61
Article number: 7911200616
Barcode: 4046664069874

B COVER

240 x 200 x 100 MM for MR196-61 and MR224-61
Article number: 7905000705
Barcode: 4014915234500

C AERATOR ROLLER

Ø 128 MM / 320 MM for SC32
Article number: 7912006701
Barcode: 4046664087434

Ø 128 MM / 420 MM for SC38
Article number: 7912007701
Barcode: 4046664124092

Ø 165 MM / 400 MM for SC50Vario
Article number: 7911902701
Barcode: 4046664073017

D CUTTING ROLLER

Ø 128 MM / 320 MM for SC32
Article number: 7912006702
Barcode: 4046664087441

Ø 128 MM / 420 MM for SC38
Article number: 7912007702
Barcode: 4046664124108

E CUTTING ROLLER

Ø 165 MM / 400 MM for SC40P
Article number: 7911901701
Barcode: 4046664068310

Ø 165 MM / 400 MM für SC50Vario
Article number: 7911902702
Barcode: 4046664073000

C AERATOR ROLLER



D CUTTING ROLLER



E CUTTING ROLLER



PETROL BRUSH CUTTER

- High-performance petrol-powered brush cutter – **grass trimmer and line trimmer in one**
- Adjustable bike handlebars with two-hand guidance allow ergonomic working
- **Grass trimmer cutting width 420 mm/brush cutter cutting width 255 mm**
- High-performance 0.9 kW/1.21 horsepower 2-stroke petrol engine, 32.5 cc
- Easy to operate and control using stop switch and throttle lock
- Pull starter with Easy Start so the tool can be started effortlessly
- **Anti-vibration technology** allows ergonomic working with low vibrations
- Dual-line coil with touch control to allow line extension (Tap'n'Go function)
- Easy assembly/disassembly for space-saving storage
- Shoulder strap for extended use



- ✓ Grass trimmer
- ✓ Brush cutter

Fuel mixture 1:40


**Advantages of a
2-STROKE ENGINE:**

- Simple and compact design
- Engine consists of fewer components and therefore requires less maintenance
- Low weight compared with a 4-stroke engine
- Simple system for engine lubrication



Tip automatic spool

**Powerful 1.22 HP
2-stroke petrol engine**

INCLUDED
LOGISTICAL DATA

Weight net / gross	7.3 / 9.3 kg
Packaging dimensions	1050 x 305 x 300 mm
Article number	5910714915
Barcode	4046664228226
20 Container	450 pcs
40 Container	900 pcs
40 HQ Container	1150 pcs

SPECIFICATIONS

Dimensions L x W x H	1870 x 617 x 486 mm
Engine displacement	32.5 cc
Engine type	2-stroke
Anti-vibration	Yes
Cutting width grass trimmer max.	430 mm
Cutting width brush cutter max.	255 mm
Fuel tank capacity	0.9 L
Fuel	Fuel mixture 1:40
Output	0.9 kW / 1.22 HP

EXAMPLES OF USE SUITABLE FOR



PRODUCT DETAILS


Cutting width brush cutter
max. 430 mm



Cutting width grass trimmer
max. 255 mm



2-stroke engine
0.9 kW / 1.22 HP / 32,5 cc



Easy assembly/disassembly



0,9 L fuel tank capacity



Pull starter



Easy-Start-Function



Anti-vibration system



Easy use

Easily controlled using stop switch and throttle lock



Two-hand operation

Adjustable bike handlebars ensure ergonomic working




Easy to disassemble

for space-saving storage



3-tooth steel blade

Cutting width 255 mm



Coil with dual thread

430 mm cutting width & Tap'n'Go function

PETROL BRUSH CUTTER

- High-performance petrol-powered brush cutter – **grass trimmer and line trimmer in one**
- Adjustable bike handlebars with two-hand guidance allow ergonomic working
- **Grass trimmer cutting width 420 mm/brush cutter cutting width 255 mm**
- High-performance 1.4 kW/1.9 horsepower 2-stroke petrol engine, 52 cc
- Easy to operate and control using stop switch and throttle lock
- Pull starter with Easy Start so the tool can be started effortlessly
- **Anti-vibration technology** allows ergonomic working with low vibrations
- Dual-line coil with touch control to allow line extension (Tap'n'Go function)
- Easy assembly/disassembly for space-saving storage
- Shoulder strap for extended use



- ✓ Grass trimmer
- ✓ Brush cutter

Fuel mixture 1:40


**Advantages of a
2-STROKE ENGINE:**

- Simple and compact design
- Engine consists of fewer components and therefore requires less maintenance
- Low weight compared with a 4-stroke engine
- Simple system for engine lubrication



Tip automatic spool

**Powerful 1.9 HP
2-stroke petrol engine**

**Quick release
fastener**
**Adjustable
bike grip**

INCLUDED
LOGISTICAL DATA

Weight net / gross	7.6 / 9.3 kg
Packaging dimensions	1050 x 305 x 300 mm
Article number	5910714915
Barcode	4046664228219
20 Container	450 pcs
40 Container	900 pcs
40 HQ Container	1170 pcs

SPECIFICATIONS

Dimensions L x W x H	1870 x 617 x 486 mm
Engine displacement	52 cc
Engine type	2-stroke
Anti-vibration	yes
Cutting width grass trimmer max.	430 mm
Cutting width brush cutter max.	255 mm
Fuel tank capacity	1.2 L
Fuel	Fuel mixture 1:40
Output	0.9 kW / 1.22 HP

EXAMPLES OF USE

SUITABLE FOR



Easy use
Easily controlled using stop switch and throttle lock



Easy to disassemble
for space-saving storage



3-tooth steel blade
Cutting width 255 mm

PRODUCT DETAILS


Cutting width brush cutter
max. 420 mm



Cutting width grass trimmer
max. 255 mm



2-stroke engine
1.4 kW / 1.9 HP / 52 cc



Easy assembly/disassembly



1,2 L fuel tank capacity



Pull starter



Easy-Start-Function



Anti-vibration system




Coil with dual thread
420 mm cutting width &
Tap'n'Go function

PETROL BRUSH CUTTER

- High-performance petrol-powered brush cutter – **grass trimmer and line trimmer in one**
- Adjustable bike handlebars with two-hand guidance allow ergonomic working
- **Grass trimmer cutting width 480 mm/brush cutter cutting width 255 mm**
- High-performance 0.7 kW/1.0 horsepower 2-stroke petrol engine, 31 cc
- Easy to operate and control using stop switch and throttle lock
- Pull starter
- **Anti-vibration technology** allows ergonomic working with low vibrations
- Dual-line coil with touch control to allow line extension (Tap'n'Go function)
- Easy assembly/disassembly for space-saving storage
- Shoulder strap for extended use

2 IN 1

- ✓ Grass trimmer
- ✓ Brush cutter

No fuel mixture required
**Advantages of a
4-STROKE ENGINE:**

- No petrol-oil mixture required, standard petrol can be used instead
- Exceptionally smooth operation results in fewer vibrations, thus reduced noise pollution
- Low fuel consumption allows longer working time and fewer emissions
- Better torque delivery, even at low speed




Tip automatic spool

**Powerful 1.0 HP
2-stroke petrol engine****INCLUDED****LOGISTICAL DATA**

Weight net / gross	8.7 / 10.5 kg
Packaging dimensions	1050 x 305 x 300 mm
Article number	5910716915
Barcode	4046664228202
20 Container	400 pcs
40 Container	800 pcs
40 HQ Container	950 pcs

SPECIFICATIONS

Dimensions L x W x H	1870 x 617 x 486 mm
Engine displacement	31 cc
Engine type	4-stroke
Anti-vibration	Yes
Cutting width grass trimmer max.	480 mm
Coil	2 x 2,4 mm / 4 m
Cutting width brush cutter max.	255 mm
Fuel tank capacity	0,7 L
Fuel	Petrol
Output	0.7 kW / 1.0 HP

**EXAMPLES OF USE
SUITABLE FOR****Lawn****Weeds****Shrubs****PRODUCT DETAILS**Cutting width brush cutter
max. 480 mmCutting width grass trimmer
max. 255 mm4-stroke engine
0.7 kW / 1.0 HP / 31 cc

Easy assembly/disassembly



0,7 L fuel tank capacity



Pull starter



Easy-Start-Function



Anti-vibration system

**Two-hand operation**
Adjustable bike handlebars
ensure ergonomic working**Coil with dual thread**
480 mm cutting width &
Tap'n'Go function



✓ Grass trimmer
✓ Brush cutter

2 IN 1 BACKPACK PETROL BRUSHCUTTER

- Powerful 51.7 cc / 2-stroke motor offers excellent power for all tasks in the home garden
- Easily controlled using stop switch and throttle lock
- Anti-vibration technology allows comfortable and fatigue-free working
- Filament extension by tapping makes work easy
- Ergonomic shaft and handle



SPECIFICATIONS

Dimensions L x W x H	2850 x 370 x 550 mm
Engine displacement	51,7 cm ³
Engine type	2-stroke
Shaft	143 cm
Anti-Vibration	Yes
Cutting width grass trimmer max.	450 mm
Cutting width brush cutter max.	255 mm
Tank	1,0 L
Fuel	Fuel mixture 1:40
Motor	1300 W (1.8 HP)

LOGISTICAL DATA

Weight net / gross	11,8 / 14,6 kg
Packaging dimensions	1200 x 290 x 440 / 140 mm
Order no.	5910707903
Barcode	4046664044918
20 Container	297 pcs
40 Container	575 pcs
40 HQ Container	708 pcs



EXAMPLES OF USE SUITABLE FOR

Shrubs




Weeds



Gras



Tip automatic spool



Fuel mixture 1:40




Rugged professional 3-tooth steel blade for weeds, thickets, smaller trees and bushes.



PRODUCT DETAILS

Cutting width grass trimmer
max. 450 mmCutting width brush cutter
255 mm

Anti-vibration system

51,7 cm³, 1,8 HP
Power output

Easy-Start-Function



1 L fuel tank capacity



Innovative twin line bump feed spool and tip automatic system for speed feed trimmer head reloads line in seconds without disassembly.

MULTIFUNCTIONAL PETROL DEVICE

- High-performance, petrol-powered multi-function device combines 4 functions in one tool: grass trimmer, brush cutter, hedge trimmer, pole-mounted pruner
- High-performance 1.4 kW/1.9 horsepower 2-stroke petrol engine, 52 cc
- Grass trimmer: 2.5 mm dual nylon line, touch control, 420 mm working width
- **Brush cutter:** 3-toothed blade made of special steel, 255 mm working width
- **Hedge trimmer:** 390 mm cutting length, angle adjustment + 90°/0°/-75° (165°), 24 mm maximum branch diameter, durable quality blade made of laser-cut steel
- **Pole-mounted pruner:** 260 cutting length, max. 18 m/s cutting speed, automatic chain lubrication, ProCut blade & chain
- Shoulder strap allows extended and fatigue-free working
- Easy to operate and control using stop switch and throttle lock
- Pull starter
- Anti-vibration technology allows ergonomic working with low vibrations




Advantages of a

2-STROKE ENGINE:

- Simple and compact design
- Engine consists of fewer components and therefore requires less maintenance
- Low weight compared with a 4-stroke engine
- Simple system for engine lubrication

4 IN 1

- ✓ Line trimmer
- ✓ Brush cutter
- ✓ Hedge trimmer
- ✓ Pole saw

**SPECIFICATIONS**

BRUSH CUTTER	
Cutting Ø max.	255 mm
LINE TRIMMER	
Cutting Ø max.	420 mm
Line style size	2 x 2.5 mm / 4 m
HEDGE TRIMMER	
Total length	2290 x 340 x 240 mm
Swivel range	+ 90° / 0° / -75° (165°)
Cutting length	390 mm
POLE SAW	
Total length	2085 x 340 x 240 mm
Bar length	300 mm
Cutting length	260 mm
Cutting speed	18 m/s

SPECIFICATIONS

Dimensions L x W x H	2085 x 420 x 250 mm
Engine displacement	52 cc
Engine type	2-stroke
Fuel tank capacity	1.2 L
Fuel	Fuel mixture 1:40
Input	1.4 kW / 1.9 HP

LOGISTICAL DATA

Weight net / gross	12 / 13.8 kg (Set)
Packaging dimensions	1080 x 265 x 280 / 100 mm
Article number	5904821915
Barcode	4046664228769
20 Container	444 pcs
40 Container	921 pcs
40 HQ Container	1080 pcs



EXAMPLES OF USE

SUITABLE FOR

Shrubs



Weeds



Gras



Hedges



Branches



4 IN 1 EXAMPLES OF USE

Line trimmer



Brush cutter



Hedge trimmer




Pole saw



PRODUCT DETAILS

2-stroke petrol engine
1.4 kW / 1.9 HP / 52 cc



Fuel mixture 1:40



1.2 L fuel tank capacity



Easy-Start-Function



Tap'n'Go

Easy to assemble /
disassemble

Pull starter




Anti-vibration system



TAP'N'GO




Tip automatic spool.

Increased safety,
thanks to quick release.

Easily to control using stop switch and throttle lock

4 IN 1 MULTIFUNCTIONAL PETROL DEVICE

- Powerful 1.22 HP / 0.9 kW / 32.6 cc 2-stroke engine (MFH3300-4P) and 1.8 PS / 1.3 kW / 51.7 cc 2-stroke engine (MFH5200-4P) provides plenty of power to handle all home garden tasks
- Practical 4-in-1 function: Line trimmer, brush cutter, hedge trimmer, pole saw
- Anti-Vibration design helps provide extended use
- Including shoulder strap with hip protection for fatigue-free work
- Pole pruner: cutting length 254 mm, 10" ProCut bar/chain; cutting length 254 mm; automatic chain lubrication
- Grass trimmer: double-line spool; 430 mm Schnittbreite (MFH3300-4P) and 450 mm cutting width (MFH5200-4P)
- Hedge trimmer: 24 mm cutting capacity, and 400 mm cutting width; swivels 165° in 15° increments
- Brush cutter: 255 mm cutting width and durable metal blade
- Easy assembly and disassembly
- Anti-vibration system allows extended, fatigue-free working.
- Auto oiling system
- Tip automatic spool



- ✓ Line trimmer
- ✓ Brush cutter
- ✓ Hedge trimmer
- ✓ Pole saw

Ergonomic shoulder strap



165°

adjustable cutting angle



SPECIFICATIONS

	MFH3300-4P	MFH5200-4P
BRUSH CUTTER		
Cutting Ø max.	255 mm	
LINE TRIMMER		
Cutting Ø max.	430 mm	450 mm
Line style size	2.4 mm – 4 m	2.8 mm – 4 m
HEDGE TRIMMER		
Total length	2290 x 340 x 240 mm	
Swivel range	165° (90° – 0° – 70°); 11 steps/15°	
Cutting length	400 mm	
POLE SAW		
Total length	2085 x 340 x 240 mm	
Bar length	305 mm	
Cutting length	254 mm	

SPECIFICATIONS

	MFH3300-4P	MFH5200-4P
Dimensions L x W x H	2085 x 420 x 250 mm	2085 x 420 x 250 mm
Engine displacement	32.6 cc	51.7 cc
Engine type	2-stroke	2-stroke
Fuel tank capacity	0.96 L	0.96 L
Fuel	Fuel mixture 1:40	
Motor	0.9 kW / 1.22 HP	1.3 kW / 1.8 HP

LOGISTICAL DATA

	MFH3300-4P	MFH5200-4P
Weight net / gross	11.4 / 13.9 kg (Set)	12.5 / 15.1 kg (Set)
Packaging dimensions	1130 x 280 x 310 / 100 mm	1130 x 280 x 310 / 100 mm
Article number	5904802907	5904804904
Barcode	4046664109945	4046664109952
20 Container	444 pcs	432 pcs
40 Container	920 pcs	895 pcs
40 HQ Container	1080 pcs	1050 pcs



EXAMPLES OF USE

SUITABLE FOR

Shrubs



Weeds



Gras



Hedges



Branches



4 IN 1 EXAMPLES OF USE

Line trimmer



Brush cutter



Hedge trimmer



Pole saw



USES

4 IN 1 FUNCTION


Brush cutter



Line trimmer




Hedge trimmer




Pole saw



TAP'N'GO



Tip automatic spool


Increased safety,
thanks to quick release.The anti-vibration system and
the included shoulder strap allow
comfortable and fatigue-free working.

PRODUCT DETAILS

MFH3300-4P

2-stroke engine - 0.9 kW /
1.22 HP / 32.6 cc

MFH5200-4P

2-stroke - 1.3 kW /
1.8 HP / 51.7 cc

Fuel mixture 1:40

Easy to
assemble / disassemble

0.96 L fuel tank capacity



Pull starter



Easy-Start-Function



Anti-vibration system





- ✓ Line trimmer
- ✓ Brush cutter
- ✓ Hedge trimmer
- ✓ Pole saw



4 IN 1 BACKPACK MULTIFUNCTIONAL PETROL DEVICE

- Powerful 32.6 cc (MFH3300-4BP) / 51.7 cc (MFH5300-4BP) 2-stroke motor provides plenty of power to handle all home garden tasks
- Centrifugal clutch for ease of use ; with integrated tool bag and waist belt
- Pole saw 10" ProCut bar/chain; cutting length 254 mm; automatic chain lubrication
- Grass trimmer: double line spool; 430mm (MFH3300-4BP) / 450 mm (MFH5300-4BP) cutting width
- Hedge trimmer: 24 mm diameter cutting capacity and 400 mm blade width
- Swivel to 165° in 15° steps
- Brush cutter: 255 mm cutting width and durable metal blade
- Automatic line feed for easy work



Auto oiling system

Ergonomic handle

254 mm

Quick release fastener

10" ProCut bar & chain

Bar length 400 mm



Tip automatic spool



Coil with dual thread

3-tooth steel blade

SPECIFICATIONS

	MFH3300-4BP	MFH5300-4BP
Dimensions L x W x H	2850 x 370 x 550 mm	2850 x 370 x 550 mm
Engine displacement	32.6 cc	51.7 cc
Engine type	2-stroke	2-stroke
Fuel tank capacity	0.96 L	0.96 L
Fuel	Fuel mixture 1:40	
Motor	0.9 kW (1.22 HP)	1.3 kW (1.8 HP)

SPECIFICATIONS

	MFH3300-4BP	MFH5300-4BP
BRUSH CUTTER		
Cutting Ø (maximum)	255 mm	
LINE TRIMMER		
Cutting Ø max.	430 mm	450 mm
Line style size	2.4 mm – 4 m	2.8 mm – 4 m
HEDGE TRIMMER		
Total length	3250 x 320 x 560 mm	
Swivel range	165° (90° – 0° – 70°); 11 steps/15°	
Cutting length	400 mm	
POLE SAW		
Total length	3050 x 320 x 560 mm	
Cutting length	254 mm	

LOGISTICAL DATA

	MFH3300-4BP	MFH5300-4BP
Weight net / gross	15.6 / 18.8 kg (Set)	16.4 / 19.6 kg (Set)
Packaging dimensions	1200 x 280 x 440 / 140 mm	1200 x 280 x 440 / 140 mm
Article number	5904806905	5904805904
Barcode	4046664109921	4046664109938
20 Container	297 pcs	295 pcs
40 Container	575 pcs	605 pcs
40 HQ Container	708 pcs	708 pcs



EXAMPLES OF USE

SUITABLE FOR

Shrubs



Weeds



Gras



Hedges



Branches



4 IN 1 EXAMPLES OF USE


Line trimmer



Brush cutter



Hedge trimmer



Pole saw



USES

4 IN 1 FUNCTION


Brush cutter




Line trimmer



Hedge trimmer



Pole saw


**Ergonomic harness**

Comfortable, ventilated and load-reducing harness with hip belt and wide shoulder straps.


PRODUCT DETAILS

MFH3300-4BP

2-stroke engine - 0.9 kW / 1.22 HP / 32.6 cc

**MFH5300-4BP**

2-stroke engine - 1.3 kW / 1.8 HP / 51.7 cc



Fuel mixture 1:40



Easy to assemble / disassemble



0.96 L fuel tank capacity



Pull starter




Easy-Start-Function



Anti-vibration system



A 3 TEETH BLADE**B 4 TEETH BLADE****C 8 TEETH BLADE****D EXTENSION FOR POLE SAW****A 3 TEETH BLADE****Ø 255 / 25,4 MM**

For BCH3300PB, BCH5200PB, BCH5300PB, MTC42-5P, MFH3300-4P, MFH5200-4P, MFH3300-4BP and MFH5300-4BP

This blade's main application is in cutting, it is ideal for removing brush and grass, as well as cutting back (thorn) hedges

Article number: 7910700702
Barcode: 4046664042334**I TRICORD SPOOL****CUTTING Ø 43 CM / 45 CM**

Revolutionary wear indicator.

Article number: 7910702701
Barcode: 4046664068440**B 4 TEETH BLADE****Ø 255 / 25,4 MM**

For BCH3300PB, BCH5200PB, BCH5300PB, MTC42-5P, MFH3300-4P, MFH5200-4P, MFH3300-4BP and MFH5300-4BP

Efficient blade for cutting tough, dry grass as well as dense undergrowth in large areas

Article number: 7910700705
Barcode: 4046664042327**J CHAIN FOR PRUNERS**

For MFH3300-4P, MFH5200-4P, MFH3300-4BP, MFH5300-4BP and MTC42-5P

Article number: 7910700704
Barcode: 4014915095392**C 8 TEETH BLADE****Ø 255 / 25,4 MM**

For BCH3300PB, BCH5200PB, BCH5300PB, MTC42-5P, MFH3300-4P, MFH5200-4P, MFH3300-4BP and MFH5300-4BP

Optimum cutting performance when cutting thick and dry grass and dense undergrowth

Article number: 7910700711
Barcode: 4046664063872**BLADE FOR HEDGE TRIMMERS**

For MFH3300-4P, MFH5200-4P, MFH3300-4BP, MFH5300-4BP and MTC42-5P

Article number: 7910700703
Barcode: 4046664077350

E PROFESSIONAL SHOULDER HARNESS



F SPOOLS



G SPOOLS



H WIRE BRUSH



I TRICORD SPOOL



J CHAIN FOR PRUNERS



D EXTENSION FOR POLE SAW

For MFH3300-4P, MFH5200-4P, MFH3300-4BP, MFH5300-4BP and MTC42-5P

Expand your reach. With the aluminium extension for the pole pruner, you can reach branches up to 4 m

Article number: 7910700710
Barcode: 4046664044666

BLADE PROTECTION FOR PRUNERS

For MFH3300-4P, MFH5200-4P, MFH3300-4BP, MFH5300-4BP and MTC42-5P

Article number: 3904801039
Barcode: 4046664045304

E PROFESSIONAL SHOULDER HARNESS

For BCH5200PB, BCH3200PB4, MFH3300-4P, MFH5200-4P and MTC42-5P

Work comfortably and without fatigue with the professional shoulder strap. The wide straps and thick padding increase wearing comfort and distribute the weight of the brushcutter better over the whole body

Article number: 7910700709
Barcode: 4046664044659

F G H SPOOLS

Innovative twin line bump feed spool and tip automatic system for speed feed trimmer head reloads line in seconds without disassembly


F (Ø 450 MM, Ø 2,8 MM x 4 M)
For MFH5200-4P, BCH5300BP, BCH5200PB, MFH5300-4BP and MTC42-5P
Article number: 7910700707
Barcode: 4014915117117

G (Ø 430 MM, Ø 2,4 MM x 4 M)
For MFH3300-4P, BCH3300-100PB and MFH3300-4BP
Article number: 7910702703
Barcode: 4014915090779


H WIRE BRUSH
Article number: 7910700725
Barcode: 404664232728

ELECTRIC TELESCOPIC HEDGE TRIMMER

- High-performance electric telescopic hedge trimmer for cutting high bushes, hedges and shrubs
- **Powerful 500 W motor**
- **Cutting head can be rotated by 90° and adjusted in 6 steps**
- Telescopic shaft – up to 2750 mm overall length
- **Cutting capacity 16 mm**
- Maximum cutting speed 1500 rpm
- Laser-cut steel blade ensures maximum effectiveness
- Practical strain relief
- Emission-free work, thanks to electric motor
- **Blade length 520 mm/maximum cutting length 450 mm**
- Hexagonal shaft ensures maximum stability
- Easy assembly and disassembly, thanks to practical quick-release mechanism
- Shoulder strap allows fatigue-free work



Cutting capacity
16 mm

**SPECIFICATIONS**

Dimensions L x W x H	2160 x 120 x 180 mm
Telescopic shaft length min/max	2160 mm – 2900 mm
Cutting diameter	16 mm
Blade length	520 mm
Cutting length	450 mm
Total length	2750 mm
Max. cutting speed	1500 rpm
Motor	230 – 240 V / 50 Hz
Input	500 W

LOGISTICAL DATA

Weight net / gross	3.95 / 5.5 kg
Packaging dimensions	1200 x 170 x 185 mm
Article number	5910509901
Barcode	4046664225539
20 Container	700 pcs
40 Container	1484 pcs
40 HQ Container	1735 pcs

EXAMPLES OF USE SUITABLE FOR



Shrubs

Hedges



Bushes

PRODUCT DETAILS

Blade length 520 mm /
Cutting length 450 mm



Cutting capacity 16 mm



Max. cutting speed
1500 rpm



Powerful 230–240 V –
500 W motor



TELESCOPIC EXTENSION




Overall length: 2750 mm
Telescopic shaft length: 740 mm





Practical
strain relief



Quick-release mechanism
allows easy assembly/
disassembly



Cutting head
can be rotated by 90°
and adjusted in 6 steps




Laser-cut steel blade
ensures maximum effectiveness

Cutting capacity
20 mm



0° – 135°



ELECTRIC LONG-REACH HEDGE TRIMMER

- High-performance electric telescopic hedge trimmer for cutting high bushes, hedges and shrubs, overall length 2590 mm
- Powerful 1000 W motor
- Cutting head can be rotated by 135° and adjusted in 10 steps
- Cutting capacity 20 mm
- Maximum cutting speed 1,000 rpm
- Maximum cutting speed 1,000 rpm
- Practical strain relief
- Emission-free work, thanks to electric motor
- Blade length 500 mm / maximum cutting length 410 mm
- Easy assembly and disassembly, thanks to practical quick-release mechanism
- Shoulder strap allows fatigue-free work

INCLUDED



Adjustable
cutting head

2590 mm
overall length

Laser cut, hardened
steel blade

410 mm

SPECIFICATIONS

Dimensions L x W x H	2650 x 100 x 150 mm
Cutting diameter	20 mm
Blade length	500 mm
Cutting length	410 mm
Total length	2590 mm
Max. cutting speed	1000 rpm
Motor	230 – 240 V / 50 Hz
Input	1000 W

LOGISTICAL DATA

Weight net / gross	6.8 / 8 kg
Packaging dimensions	1160 x 180 x 115 mm
Article number	5910510901
Barcode	4046664225522
20 Container	1100 pcs
40 Container	2385 pcs
40 HQ Container	2760 pcs

EXAMPLES OF USE SUITABLE FOR



Shrubs



Bushes

PRODUCT DETAILS

Blade length 500 mm /
Cutting length 410 mm




Cutting diameter 20 mm



Max. cutting speed
1000 rpm



Powerful 230–240 V –
1000 W motor



The tool can be stored without
needing much space because
its shaft can be separated.




Practical
strain relief





Shoulder strap
allows fatigue-free work



Laser-cut steel blade
ensures maximum effectiveness



Cutting head
can be adjusted in 10
steps from 0° to 135°



ELECTRIC HEDGE TRIMMER

- Powerful Electric hedge trimmer for easy, reliable cutting of hedges and shrubs
- **Powerful 600 W motor**
- Suitable for a maximum branch diameter of 24 mm
- Maximum cutting speed 1500 rpm
- Handle can be rotated within the range of -90° – +90°
- Practical strain relief
- Emission-free work, thanks to electric motor
- **Blade length 710 mm / maximum cutting length 610 mm**
- Handschutz sorgt für maximale Sicherheit bei der Bedienung
- Durable, laser-cut steel blade ensures maximum effectiveness

Rotatable handle



SPECIFICATIONS

Dimensions L x W x H	1100 x 170 x 190 mm
Blade length	710 mm
Cutting length	610 mm
Max. Cutting capacity	24 mm
cutting speed	1500 rpm
Motor	230 – 240 V~ / 50 Hz
Input	600 W

LOGISTICAL DATA

Gewicht netto / brutto	3.4 / 4.6 kg
Packaging dimensions	1125 x 185 x 210 mm
Article number	5910511901
Barcode	4046664225515
20 Container	840 pcs
40 Container	1824 pcs
40 HQ Container	2150 pcs

EXAMPLES OF USE SUITABLE FOR



Shrubs

Hedges



Bushes

PRODUCT DETAILS

Blade length 710 mm /
Cutting length 610 mm



Cutting capacity 24 mm



Max. cutting speed
1500 rpm



Powerful 230–240 V~
600 W motor



Hand guard guarantees maximum
safety during operation




Rotatable handle
for an ergonomic work posture



**Removable
base plate**
for easy maintenance




Hand guard
für maximale Sicherheit
bei der Bedienung



**High-performance
710 mm blade**
with 1500 cuts per minute and a
cutting length of 610 mm

650 W PETROL HEDGE TRIMMER

- High-performance 0.65 kW/0.88 horsepower 2-stroke petrol engine, 22.5 cc
- Max. cutting length 560 mm
- Easy-start for simple, effortless starting
- Low weight of only 4.9 kg ensures particularly easy handling
- Robust steel blade
- Cutting capacity max. 27 mm
- Rotatable handle with anti-vibration protection
- Quiet engine with consistent power
- Double-edged teeth for excellent cutting performance
- Lightweight, balanced design allows flexible, easy work

**SPECIFICATIONS**

Dimensions L x W x H	1100 x 245 x 200 mm
Blade length	600 mm
Cutting length	560 mm
Max. cutting thickness	27 mm
Engine displacement	22,5 cc
Output	0.65 kW / 0.88 HP

LOGISTICAL DATA

Weight net / gross	4.9 / 6.8 kg
Article number	5910402903
Barcode	4046664169413
20 Container	725 pcs
40 Container	1450 pcs
40 HQ Container	1700 pcs



EXAMPLES OF USE SUITABLE FOR

Shrubs



Bushes



Hedges



Petrol-oil mixture
40:1



Fuel tank capacity
0,26 L



Bar length 600 mm /
Cutting length 560 mm



Cutting thickness 27 mm



Rotatable handle

Maximum safety,
thanks to hand guard

Cutting speed
1850 rpm



Motor output: 22,5 cc -
0,65 kW - 0,88 HP -
2-stroke engine



High-quality
double-edged
steel blade
for tough tasks



Hand guard
for maximum safety



Pull starter
for easy starting



Anti-vibration ensures
fatigue-free working.

-90° to +90°
rotatable handle
with anti-vibration
protection for an
ergonomic work posture




ELECTRIC CHAINSAW

- Powerful 2.4 kW motor delivers consistent output for prolonged use
- 18" bar and chain
- Lightweight and compact design reduces user fatigue
- Tool-free chain change thanks to the **quick-release system**
- Automatic chain lubrication
- **Handguard with integrated system brake** stops the chain within just a few milliseconds in cases of kickback
- Electric drive - no harmful emissions
- Lockout switch prevents accidental motor starting
- Oil level window for easy checking
- **Wrap-around front handle** for versatile use
- Includes chain guard for safe storage and transport



Max. cutting diameter 44 cm



SPECIFICATIONS

Dimensions L x W x H	890 x 260 x 220 mm
Chain bar length	45.5 cm
Max. cutting diameter	Ø 44 cm
Chain speed	15 m/sec
Chain tensioning system	toolless
Fuel tank / chain oil capacity	0.2 L
Motor	230 – 240 V~ / 50 Hz
Motor output	2400 W

LOGISTICAL DATA

Weight net / gross	5.3 / 6.2 kg
Dimensions packaging	485 x 260 x 135 mm
Article number	5910204901
EAN	4046664092285
20 Container	1050 pcs
40 Container	2180 pcs
40 HQ Container	2500 pcs



EXAMPLES OF USE SUITABLE FOR

Forestry work



Firewood



Delimbing




"Anti-kickback" – the chain brake stops the saw chain within milliseconds in case of kickback. Hand protection guarantees additional safety.



Oil level display with viewing window so the fill level can be checked easily.



The robust claw stop supports the sawing process. It protects the cut material from slipping.



PRODUCT DETAILS

Max. cutting diameter
44 cm



Powerful 230 – 240 V~/
2400 W motor



Tool-free chain
tensioning



Cutting speed
15 m/s



Circumferential handle



Automatic
chain lubrication



ELECTRIC CHAINSAW

- Powerful 2700 W motor delivers consistent performance during extended use
- 45.5 cm (18") bar and chain
- Lightweight and compact design
- Tool-free chain change thanks to the quick-release system
- Automatic chain lubrication
- Hand guard with integrated system brake
- Electric drive - no harmful emissions
- Lockout switch prevents accidental motor starting
- Oil level window for easy checking
- Wraparound handle for versatile use
- Includes chain guard for safe storage and transport



Max. cutting diameter 44 cm



LOGISTICAL DATA

Weight net / gross	4.8 / 5.6 kg
Packaging dimensions	540 x 210 x 260 / 210 mm
Article number	5910205901
Barcode	4046664093350
20 container	1100 pcs
40 container	2320 pcs
40 HQ container	2720 pcs

SPECIFICATIONS

Dimensions L x W x H	930 x 200 x 235 mm
Chain bar length	45.5 cm
Cutting thickness	Ø 44 cm
Chain speed	15 m/sec
Chain tensioning system	tool-free
Fuel tank / chain oil capacity	0.15 L
Motor	230 – 240 V~ / 50 Hz
Motor output	2700 W



EXAMPLE OF USE SUITABLE FOR

Forestry work



Firewood



Delimbing



“Anti-kickback” – the chain brake stops the saw chain within milliseconds in case of kickback. Hand protection guarantees additional safety.



PRODUCT DETAILS


Max. cutting diameter 44 cm

Powerful 230 – 240 V~/
2700 W motor

Tool-free chain tensioning

Cutting speed
15 m/s


Circumferential handle


Automatic
chain lubrication

Oil level display with viewing window
so the fill level can be checked easily.



The robust claw stop supports the sawing process. It protects the material to be cut from slipping.






25 CM PETROL PRUNING SAW

- High performance petrol-powered saw for tree care, treetop removal or branch trimming
- Premium-quality 10"/25.4 cm ProCut blade, 21 m/s cutting speed and 20 cm effective cutting diameter
- High-performance 0.95 horsepower/0.7 kW 2-stroke petrol engine, 25.4 cc
- Pull starter with easy start so the chain saw can be started effortlessly
- Chain brake stops the chain within just a few milliseconds in cases of kickback
- Hand guard ensures increased safety
- Automatic chain lubrication
- Compact design and a low weight of only 3.5 kg – also ideal for ongoing operation
- Anti-vibration system allows extended and more relaxed working
- Ergonomic, circumferential handle allows a variety of uses
- Robust claw stop protects the material to be cut from slipping
- Practical loop for securing on a rope or belt

**Powerful
0,95 HP 2-stroke petrol engine**



SPECIFICATIONS

Dimensions L x W x H	250 x 230 x 220 mm
Engine type	2-stroke
Fuel mixture	40:1
Engine displacement	25,4 cm ³
Chain bar length	25 cm
Cutting diameter max.	Ø 21 cm
Chain tension adjustment	Ja
Chain brake	Ja
Oil tank capacity	0,16 L
Fuel tank capacity	0,23 L
Output	0,7 kW / 0,95 HP

LOGISTICAL DATA

Weight net / gross	3,9 / 5,1 kg
Packaging dimensions	320 x 250 x 250 mm
Article number	5910126903
Barcode	4046664221616
20 Container	1450 pcs
40 Container	2900 pcs
40 HQ Container	3400 pcs



EXAMPLE OF USE SUITABLE FOR

Tree care

Branch waste &
branch trimming


Treetop removal



"Anti-kickback" – the chain brake stops the saw chain within milliseconds in case of kickback. Hand protection guarantees additional safety.



PRODUCT DETAILS

Cutting speed
21 m/s2-stroke petrol engine /
0,95 HP / 25,4 cm³ / 0,7 kW

Cutting Ø max. 20 cm




Anti-vibration system



Circumferential handle



Auto lubrication system



Fuel mixture 1:40


**EASY
START**


The robust claw stop supports the sawing process.
It protects the material to be cut from slipping.




Pull starter with easy start so the
chain saw can be started effortlessly.





35 CM PETROL CHAINSAW

- Powerful petrol-powered chain saw for cutting firewood, pruning shrubs, branch trimming or garden care
- High-performance 1.8 horsepower/1.3 kW 2-stroke petrol engine, 37.2 cc
- 21 m/s cutting speed ensures rapid sawing progress
- Premium-quality 14"/35 cm ProCut blade and chain, 33.5 cm cutting length
- Tool-free chain replacement and chain tensioning
- Circumferential handle allows ergonomic working and many uses
- Anti-kickback – chain brake stops the chain within just a few milliseconds in cases of kickback
- Hand guard ensures increased safety
- Anti-vibration system allows extended and fatigue-free working
- Pull starter with easy start so the chain saw can be started effortlessly
- Robust metal claw stop protects the material to be cut from slipping
- Automatic chain lubrication



SPECIFICATIONS

Dimensions L x W x H	380 x 255 x 255 mm (without bar) 750 x 255 x 255 mm (with bar)
Engine type	2-stroke
Fuel mixture	40:1
Engine displacement	37,2 cm ³
Chain bar length	35 cm
Cutting diameter max.	Ø 33,5 cm
Chain tension adjustment	yes
Chain brake	yes
Oil tank capacity	0,21 L
Fuel tank capacity	0,26 L
Output	1,3 kW / 1,8 HP

LOGISTICAL DATA

Weight net / gross	5,5 / 6,9 kg
Packaging dimensions	800 x 270 x 280 / 135 mm
Article number	5910127903
Barcode	4046664221661
20 Container	1000 pcs
40 Container	2070 pcs
40 HQ Container	2312 pcs



EXAMPLES OF USE SUITABLE FOR

Firewood



Forestry work



Branch trimming



“Anti-kickback” – the chain brake stops the saw chain within milliseconds in case of kickback. Hand protection guarantees additional safety.



The robust claw stop supports the sawing process. It protects the material to be cut from slipping.



Pull starter with easy start so the chain saw can be started effortlessly.




PRODUCT DETAILS

Cutting speed
21 m/s



2-stroke petrol engin
1,8 HP / 37,2 cm³ / 1,3 kW



Cutting Ø max. 33,5 cm




Anti-vibration system



Circumferential handle



Auto lubrication system




Fuel mixture 1:40





40 CM PETROL CHAINSAW

- Powerful petrol-powered chain saw for cutting firewood, pruning shrubs, branch trimming or garden care
- **High-performance 1.9 horsepower/1.4 kW 2-stroke petrol engine, 41 cc**
- 21 m/s cutting speed ensures rapid sawing progress
- Premium-quality 16"/40 cm ProCut blade and chain, 37.5 cm cutting length
- **Tool-free chain replacement and chain tensioning**
- Circumferential handle allows ergonomic working and many uses
- **Anti-kickback** – chain brake stops the chain within just a few milliseconds in cases of kickback
- **Hand guard ensures increased safety**
- **Anti-vibration system** allows extended and more relaxed working
- **Pull starter with easy start** so the chain saw can be started effortlessly
- Robust metal claw stop protects the material to be cut from slipping
- **Automatic chain lubrication**



SPECIFICATIONS

Dimensions L x W x H	380 x 255 x 255 mm (without bar) 750 x 255 x 255 mm (with bar)
Engine type	2-stroke
Fuel mixture	40:1
Engine displacement	41 cm ³
Chain bar length	40 cm
Cutting diameter max.	Ø 37,5 cm
Chain tension adjustment	yes
Chain brake	yes
Oil tank capacity	0,21 L
Fuel tank capacity	0,26 L
Output	1,4 kW / 1,9 HP

LOGISTICAL DATA

Weight net / gross	5,5 / 6,9 kg
Packaging dimensions	800 x 270 x 280 / 135 mm
Article number	5910128903
Barcode	4046664221654
20 Container	1000 pcs
40 Container	2000 pcs
40 HQ Container	2312 pcs



EXAMPLES OF USE SUITABLE FOR

Firewood



Forestry work



Branch trimming





“Anti-kickback” – the chain brake stops the saw chain within milliseconds in case of kickback. Hand protection guarantees additional safety.



Tool-free chain replacement and chain tensioning

The robust claw stop supports the sawing process. It protects the material to be cut from slipping.






Cutting Ø max. 43 cm

45 CM PETROL CHAINSAW

- Powerful petrol-powered chain saw for cutting firewood, pruning shrubs, branch trimming or garden care
- High-performance 2.4 horsepower/1.8 kW 2-stroke petrol engine, 46 cc
- 22 m/s cutting speed ensures rapid sawing progress
- Premium-quality 18"/45 cm ProCut blade and chain, 43 cm cutting length
- Circumferential handle allows ergonomic working and many uses
- Anti-kickback – chain brake stops the chain within just a few milliseconds in cases of kickback
- Hand guard ensures increased safety
- Anti-vibration system allows extended and more relaxed working
- Pull starter with easy start so the chain saw can be started effortlessly
- Robust metal claw stop protects the material to be cut from slipping
- Automatic chain lubrication and petrol level display



SPECIFICATIONS

Dimensions L x W x H	430 x 255 x 250 mm
Engine type	2-stroke
Fuel mixture	40:1
Engine displacement	46 cm ³
Chain bar length	45 cm
Cutting diameter max.	Ø 43 cm
Chain tension adjustment	yes
Chain brake	yes
Oil tank capacity	0,26 L
Fuel tank capacity	0,55 L
Output	1,8 kW / 2,45 HP

LOGISTICAL DATA

Weight net / gross	6,0 / 7,2 kg
Packaging dimensions	480 x 260 x 285 mm
Article number	5910129903
Barcode	4046664221630
20 Container	850 pcs
40 Container	1700 pcs
40 HQ Container	1900 pcs



EXAMPLES OF USE SUITABLE FOR

Firewood



Forestry work





Branch trimming



“Anti-kickback” – the chain brake stops the saw chain within milliseconds in case of kickback. Hand protection guarantees additional safety.




The robust claw stop supports the sawing process. It protects the material to be cut from slipping.





**Powerful
2,7 HP 2-stroke petrol engine**



SPECIFICATIONS

Dimensions L x W x H	375 x 185 x 190 mm
Engine type	2-stroke
Fuel mixture	40:1
Engine displacement	53 cm ³
Chain bar length	51 cm
Cutting diameter max.	Ø 47 cm
Chain tension adjustment	yes
Chain brake	yes
Oil tank capacity	0,26 L
Fuel tank capacity	0,55 L
Output	2,0 kW / 2,7 HP

51 CM PETROL CHAINSAW

- Powerful petrol-powered chain saw for cutting firewood, pruning shrubs, branch trimming or garden care
- High-performance 2.7 horsepower/2.0 kW 2-stroke petrol engine, 53 cc
- 21.2 m/s cutting speed ensures rapid sawing progress
- Premium-quality 20"/51 cm ProCut blade and chain, 47 cm cutting length
- Anti-vibration system allows extended and more relaxed working
- Circumferential handle allows ergonomic working and many uses
- Anti-kickback – chain brake stops the chain within just a few milliseconds in cases of kickback
- Hand guard ensures increased safety
- Pull starter with easy start so the chain saw can be started effortlessly
- With integrated petrol level indicator
- Robust metal claw stop protects the material to be cut from slipping
- Automatic chain lubrication

LOGISTICAL DATA

Weight net / gross	6,9 / 8,25 kg
Packaging dimensions	480 x 260 x 300 mm
Article number	5910130903
Barcode	4046664221678
20 Container	800 pcs
40 Container	1600 pcs
40 HQ Container	1900 pcs



EXAMPLES OF USE SUITABLE FOR

Firewood





Forestry work




Branch trimming



“Anti-kickback” – the chain brake stops the saw chain within milliseconds in case of kickback. Hand protection guarantees additional safety.



The robust claw stop supports the sawing process. It protects the material to be cut from slipping.



Pull starter with easy start so the chain saw can be started effortlessly.




PRODUCT DETAILS

Cutting speed
21 m/s



2-stroke petrol engine
2,7 HP / 53 cm³ / 2,0 kW



Cutting Ø max.47 cm



Anti-vibration system



Circumferential handle




Auto lubrication system



51 CM PETROL CHAINSAW

- Powerful petrol-powered chain saw for cutting firewood, pruning shrubs, branch trimming or garden care
- **High-performance 3.1 horsepower/2.3 kW 2-stroke petrol engine, 53 cc**
- 22 m/s cutting speed ensures rapid sawing progress
- **Premium-quality 20"/51 cm ProCut blade and chain, 47 cm cutting length**
- **Anti-vibration system** allows extended and more relaxed working
- Circumferential handle allows ergonomic working and many uses
- **Anti-kickback** – chain brake stops the chain within just a few milliseconds in cases of kickback
- **Hand guard ensures increased safety**
- **Pull starter with easy start** so the chain saw can be started effortlessly
- With integrated petrol level indicator
- Robust metal claw stop protects the material to be cut from slipping
- **Automatic chain lubrication**


**Powerful
3,1 HP 2-stroke petrol engine**
**SPECIFICATIONS**

Dimensions L x W x H	430 x 255 x 250 mm
Engine type	2-stroke
Engine displacement	56 cm ³
Chain bar length	51 cm
Cutting diameter max.	47 cm
Chain tension adjustment	yes
Chain brake	yes
Oil tank capacity	0,26 L
Fuel tank capacity	0,55 L
Output	2,3 kW / 3,1 HP

LOGISTICAL DATA

Weight net / gross	7 / 8,5 kg
Packaging dimensions	490 x 260 x 300 mm
Article number	5910131903
Barcode	4046664221647
20 Container	800 pcs
40 Container	1600 pcs
40 HQ Container	1900 pcs



EXAMPLES OF USE SUITABLE FOR

Firewood



Forestry work



Branch trimming




“Anti-kickback” – the chain brake stops the saw chain within milliseconds in case of kickback. Hand protection guarantees additional safety.


**EASY
START**


Fuel mixture 1:40



The robust claw stop supports the sawing process. It protects the material to be cut from slipping.



PRODUCT DETAILS

Cutting speed
22 m/s2-stroke petrol engine
3,1 HP / 56 cm³ / 2,3 kW

Cutting Ø max 47 cm





Anti-vibration system



Circumferential handle



Auto lubrication system




Pull starter with easy start so the chain saw can be started effortlessly.



CHAIN SHARPENER

- Suitable for all commercially available types and sizes of saw chains
- Compact design and lightweight for easy portability
- Precise adjustment scale
- Robust housing
- 100 mm grinding wheel
- Large spark screen

**Grinding disc width****OPTIONAL ACCESSORY**

Article number: 3903602701

Barcode: 4046664007050

SPECIFICATIONS

Dimensions L x W x H	265 x 140 x 200 mm
Speed	7500 rpm
Bore diameter	10 mm
Grinding wheel Ø	100 mm
Grinding wheel thickness	3.2 mm
Motor	230 V~
Output	220 W


LOGISTICAL DATA

Weight net / gross	1.8 / 2.1 kg
Packaging dimensions	350 x 180 x 205 mm
Article number	5903602901
Barcode	4046664063940
20 Container	2500 pcs
40 Container	5144 pcs
40 HQ Container	5800 pcs



EXAMPLES OF USE SUITABLE FOR

Sharpening saw chains



Thanks to the different adjustment options of the grinding angle, different types of saw chains can be quickly and easily sharpened.

PRODUCT DETAILS

Outer grinding disc diameter



Outer grinding disc diameter



Adjustment angle



Grinding disc speed



220 Watt
Engine power



Compact design



Ergonomic handle
lies comfortably in the hand
and ensures easy handling



Large spark protection guard
protects from unwanted flying sparks
during the grinding process

100 mm grinding wheel





25.4 CC PETROL LEAF VACUUM/BLOWER

- 4 in 1: vacuum, blow, shred and collect
- Powerful 25.4 cc 2-stroke professional engine
- Easy start engine for an effortless start
- Efficient engine with low fuel consumption
- High airspeed of 268 km/h with an airflow of 678 m³/h
- The shredder reduces the material to 10% of its original volume
- Lightweight and ergonomically designed to reduce fatigue
- The 50 L collection bag ensures efficient work



- ✓ Vacuum function
- ✓ Blower function
- ✓ Mulching function
- ✓ Collecting

Powerful
1.0 HP motor

Large capacity
bag: 50 L



SPECIFICATIONS

Dimensions L x W x H	1260 x 550 x 370 mm
Engine displacement	25.4 cc
Engine type	2-stroke, full crank engine
Air power max.	678 m ³ /h
Air speed max.	268 km/h
Engine speed max.	7500 / 7900 rpm
Idling speed	3500 rpm
Fuel tank capacity	650 ml
Mulch ratio	10:1
Collection bag size	50 L
Fuel mixing ratio	40:1
Output	0.7 kW / 1.0 HP


LOGISTICAL DATA

Weight net / gross	5.6 / 8 kg
Packaging dimensions	590 x 285 x 405 mm
Article number	5911104903
Barcode	4046664067962
20 Container	410 pcs
40 Container	850 pcs
40 HQ Container	990 pcs



EXAMPLES OF USE

4-IN-1 FUNCTION



Throttle locking function

allows ergonomic and extended working.



2 IN 1

Easy re-tooling

Easy locking
of the different components.

PRODUCT DETAILS

Air speed max.



Air power max.



650 ml tank capacity



50 L collection bag



Easy start



Mulch ratio



The chopping function reduces the vacuumed material to 10% of the original volume.



Includes collection bag with a volume of 50 litres.



25,4 CM³ LEAF BLOWER/VACUUM

- 4 in 1: vacuum, blow, shred and collect
- Powerful 2-stroke petrol engine, 0.9 kW, 1.2 hp, 25.4 cc
- Easy start engine for an effortless start
- Efficient engine with low fuel consumption
- Particularly high air speed of 72 m/s with an air output of 790 m³/h
- The shredder reduces the material to 10% of its original volume
- Lightweight and ergonomic design to reduce fatigue
- 50 L collection bag for anything that has been vacuumed or cut up
- Includes collection bag, suction and blowing tube

The **S-shaped** blowing tube ensures that the air flow is in one line with the handle. This allows effortless use.



4IN1

- ✓ Vacuum
- ✓ Blow
- ✓ Shred
- ✓ Collect

**SPECIFICATIONS**

Dimensions L x W x H	1081 x 236 x 351 mm
Engine displacement	25,4 cm ³
Engine type	2-Takt Benzin-Motor
Air power max.	790 m ³ /h
Air speed max.	260 km/h
Engine speed max.	8200 min ⁻¹
Idling speed	3500 +/- 300 rpm
Fuel tank capacity	0,4 L
Fuel mixing ratio	40:1
Power engine	900 W (1,2 PS)

LOGISTICAL DATA

Weight net / gross	6,3 / 7,8 kg
Packaging dimensions	580 x 300 x 405 mm
Article number	5911106903
Barcode	4046664169390
20 Container	390 pcs
40 Container	823 pcs
40 HQ Container	960 pcs

INCLUDED



EXAMPLES OF USE

4-IN-1 FUNCTION

Vacuum



Blow




Shred




Collect



The throttle locking function allows ergonomic and extended working.



The easy-start function makes starting the motor simple and effortless.




PRODUCT DETAILS

Particularly high air speed



Air flow rate



Anti-Vibrations-System



50 L Collection bag size



Easy start function



Chopping percentage



Includes collection bag with a volume of 50 litres.



51.7 CC BACKPACK LEAFBLOWER

- Powerful 51.7 cc motor provides plenty of power to handle all domestic garden tasks
- Anti-vibration system for fatigue-free work
- Produces an impressive air velocity maximum 295 km/h
- Power through your garden work with an efficient 1.4 kW motor
- The engine is mounted on an incredibly comfortable, fully adjustable, padded and vibration damped backpack
- Extra flexible hose for cold weather



SPECIFICATIONS

Dimensions L x W x H	1380 x 400 x 450 mm
Engine displacement	51.7 cc
Engine type	2-stroke
Air power max.	1080 m ³ /h
Air speed max.	295 km/h
Engine speed max.	8000 rpm
Idling speed	3500 rpm
Fuel tank capacity	1 L
Fuel mixing ratio	40:1
Output	1.4 kW

LOGISTICAL DATA

Weight net / gross	7.9 / 9.5 kg
Packaging dimensions	430 x 290 x 580 mm
Article number	5911103903
Barcode	4046664064725
20 Container	440 pcs
40 Container	905 pcs
40 HQ Container	1060 pcs



APPLICATIONS SUITABLE FOR

Garden




Patio



Yard



EXAMPLE OF USE




PRODUCT DETAILS

Hohe Luftgeschwindigkeit



295 km/h

Air power max.



1080 m²/h

Anti vibration system



ANTI VIBRATION SYSTEM

2-stroke engine 1,4 kW, 1,9 PS und 51,7 cm³



Easy start



Flexible hose





Fuel mixture 40:1



88 CM SICKLE BAR MOWER

- Ideal for difficult terrain or slopes, e.g. orchards, fields or natural gardens
- High-performance 5.7 horsepower / 4.2 kW 4-stroke petrol engine, 196 cc
- Quick mowing progress, thanks to extra-wide cutting width of 88 cm
- Recommended for lawns up to 3,000 m²
- Pull starter
- Cutting height adjustment from 30 – 60 mm
- Guide bar adjustable to 3 heights – ensures ergonomic work
- Large wheels with terrain profile ensure excellent traction
- Forward speed of 2.52 km/h ensures quick progress

Lawn area

3,000 m²

Product features
BMS196-88

- Ideal for difficult terrain or slopes
- Large wheels with terrain profile ensure excellent traction
- Quick mowing progress, thanks to extra-wide cutting width of 88 cm
- Powerful 4.2 kW / 5.7 horsepower 4-stroke petrol engine, 196 cc



Euro 5 emission standard



50 mm blade spacing



SPECIFICATIONS

Dimensions L x W x H	1265 x 920 x 1300 mm
Engine displacement	196 cc
Engine power	4.2 kW / 5.7 HP
Cutting width max.	88 cm
Cutting heights	30 – 60 mm
Forward speed	2.52 km/h
Anzahl Messer	18 pcs

LOGISTICAL DATA


Weight net / gross	58 / 65 kg
Packaging dimensions	970 x 455 x 570 mm
Article number	5908902903
Barcode	4046664215684
20 Container	90 pcs
40 Container	240 pcs
40 HQ Container	240 pcs

PRODUCT DETAILS

Lawn area




Cutting height and width



50 mm blade spacing



Forward speed 2.52 km/h

Powerful
4.2 kW / 5.7 HP / 196 cc
4-stroke engine

Pull starter

**SUITABLE FOR**


Orchards



Fields




Natural gardens



Slopes

**Forward speed**

2.52 km/h

**Lawn area**3,000 m²**Height-adjustable**
in 3 steps**Cutting width**
88 cm**Cutting height**
30 – 60 mm

2400 W ELECTRIC GARDEN SHREDDER

- Powerful 2400 W motor
- Cuts branches with a diameter up to 45 mm
- 45 L collection bag for shredded material
- Light weight of 10.25 kg for mobile use
- Including large wheels for easy transportation

**Max. branch
Ø 45 mm**



INCLUDED



- ✓ Shredding
- ✓ Collecting

LOGISTICAL DATA

Weight net / gross	10.25 / 12 kg
Packaging dimensions	615 x 320 x 360 mm
Article number	5904404901
Barcode	4046664076254
20 container	399 pcs
40 container	860 pcs
40 HQ container	960 pcs

PRODUCT DATA

Dimensions L x W x H	510 x 350 x 910 mm
Number of blades	2
Max. branch diameter	Ø 45 mm
Motor speed	4200 rpm
Motor	230 – 240 V~ / 50 Hz
Motor power	2400 W




EXAMPLES OF USE SUITABLE FOR

Branches



Foliage



PRODUCT DETAILS

Max. branch Ø 45 mm



Cutting speed 4200 rpm



Powerful 2400 W motor




Hoe blade diameter Ø 180 mm




2x collection bag



2 reversible blades



Pusher included for safe refilling of material to be shredded.



Simple control panel with reset button as overload protection.



Thanks to large wheels, the shredder can be transported quickly and effortlessly.



2800 W QUIET SHREDDER

- Powerful 2800 W motor
- Cuts branches with a **diameter up to 44 mm**
- **60 L collection box** for clippings
- Including large wheels for easy transportation
- **Weight 20.8 kg** for a **secure footing**, even with heavy clippings



In a bed, wood chips will prevent the growth of weeds and make a great home for important insects.



**Max. branch
Ø 44 mm**



2IN1

- ✓ Shredding
- ✓ Collecting



INCLUDED

**LOGISTICAL DATA**

Weight net / gross	20.8 / 22.5 kg
Packaging dimensions	570 x 530 x 385 mm
Article number	5904403901
Barcode	4046664076247
20 container	260 pcs
40 container	530 pcs
40 HQ container	613 pcs

SPECIFICATIONS

Dimensions L x W x H	650 x 455 x 910 mm
Chipper blade material	Steel
Max. branch diameter	Ø 44 mm
Motor speed	60 rpm
Motor	230 – 240 V~ / 50 Hz
Motor power	2800 W



EXAMPLES OF USE SUITABLE FOR

Branches



Foliage



Pusher
for safe refilling.

**Control panel**

for easy operation with reset button
as overload protection

**Reverse gear**

can be used to
disentangle clogged material



Roller made of solid steel
features 8 blades.

**Easy to transport****PRODUCT DETAILS**

Max. branch Ø 44 mm



Cutting speed 60 rpm



Hoe blade diameter Ø 90 mm



Powerful 2800 W motor



60 L collection box



Transportable



MADE IN
GERMANY



Max. branch
Ø 45 mm




ELECTRIC GARDEN SHREDDER

- Powerful infeed through patented diagonal-cutting infeed system
- Long-life reversible blades made of tempered steel
- Solid metal housing with driving mechanism
- Best cutting performance in its class through counter blade
- Housing with central lock
- Max. branch diameter approx. 45 mm
- Chopping of branches min. 120 kg/h
- Chopping of brushwood min. 150 kg/h
- Feed opening 130 x 160 mm
- Ejector opening 365 x 60 mm
- Phase inverter (400 V)



Max. 3500 W
induction motor

Large wheels
for easy
manoeuvrability



LOGISTICAL DATA

Weight net / gross	52 / 59 kg	
Packaging dimensions	800 x 580 x 855 mm	
Article number	40510000 (230 V~)	40520000 (400 V~)
Barcode	4014915024408	4014915024415
20 Container	N.A.	
40 Container	N.A.	
40 HQ Container	N.A.	

SPECIFICATIONS

Dimensions L x W x H	600 x 410 x 1400 mm	
Shredder roll material	Steel	
Shredder capacity	45 mm	
Motor speed max.	2800 min ⁻¹	
Motor	230 V~	400 V~
Output	3000 W	3500 W



EXAMPLES OF USE SUITABLE FOR

Branches



Foliage



Self-closing
access protection



Ergonomic working height
of 1.40 m.



Infeed bevel cut system
for powerful infeed.



3-layer design
of the external
cladding
ensures noise reduction.

PRODUCT DETAILS

Max. branch Ø 45 mm



Large fill opening



2 reversible blades



Transport handle



Sturdy positioning based
on a weight of 52 kg



Transportable



Large ejection opening
minimises clogging.

PETROL MOTOR HOE

- Powerful 2,5 kW / 3.4 PS horsepower 4-stroke petrol engine, 144 cc
- Robust design reduces vibrations to ensure a long service life
- 360 mm working width allows quick progress
- 130 mm working depth guarantees deep penetration to loosen the ground
- Ergonomic operation, thanks to adjustable steering bars
- Height-adjustable depth limiter allows you to set the working depth
- 16 Messer, Ø 260 mm for uniform loosening of the ground

**PRODUKTDATEN**

Dimensions L x W x H	1300 x 530 x 1010 mm
Motor	4-stroke engine
Engine displacement	144 cc
Hoeing width max.	360 mm
Hoe blade diameter Ø	260 mm
Number of blades	16
Engine output	2.5 kW / 3.4 PS

LOGISTICAL DATA

Weight net / gross	26.4 / 32 kg
Packaging dimensions	700 x 385 x 655 mm
Article number	5912315915
Barcode	4046664228196
20 Container	135 pcs
40 Container	288 pcs
40 HQ Container	396 pcs



EXAMPLES OF USE

SUITABLE FOR MEDIUM AND LARGE AREAS

Loosening the earth




Removing weeds



Preparing for seed



Adding fertiliser





Features forward gear to make work effortless

16 Messer for uniform
loosening of the ground

PRODUCT DETAILS

Max. working width 360 mm

Max. working depth 130 mm

4-stroke petrol engine,
144 cc, 2.5 kW und 3.4 HP

Hoe blade diameter Ø 260 mm



16 sheet steel blades



Transportable

Height-adjustable depth limiter
allows you to set the working depth.

Before tilling:
excessive roots,
moss and lawn thatch.



After tilling:
loose and ready
for planting.



**SPECIFICATIONS**

Dimensions L x W x H	900 x 360 x 1090 mm
Hoeing width max.	360 mm
Hoe blade Ø	205 mm
Number of blades	16
Motor	230 – 240 V~ / 50 Hz
Output engine	1050 W

LOGISTICAL DATA

Weight net / gross	7.4 / 8.6 kg
Packaging dimensions	505 x 395 x 340 mm
Article number	5912312901
Barcode	4046664091004
20 Container	460 pcs
40 Container	976 pcs
40 HQ Container	1110 pcs



EXAMPLES OF USE

SUITABLE FOR SMALLER AND MEDIUM AREAS

Loosening the earth



Removing weeds



Preparing for seed



Adding fertiliser



Comfortable handles

Rapid start with safety switch and cable strain relief



Foldable handle
for easy transport and space-saving storage



High-quality gear box

made of die-cast aluminium



16 sheet



steel blades



PRODUCT DETAILS

Max. working width 36 cm

Max. working depth 22 cm



Powerful 1050 W motor



Hoe blade Ø 205 mm



16 sheet steel blades



Lightweight



The MTE380 makes tough, laborious work in beds or in the garden easier.



Before tilling:
excessive roots,
moss and lawn thatch.



After tilling:
loose and ready
for planting.



ELECTRIC MOTOR HOE

- Ideal for small and medium-sized gardens or flower beds
- **Powerful 1500 W motor**
- 450 mm maximum hoeing width, 220 mm maximum working depth
- 24 blades
- Instant start with protection against accidental starting
- Foldable handle for easier transportation and storage
- Low maintenance thanks to the electric motor

**SPECIFICATIONS**

Dimensions L x W x H	1020 x 450 x 1040 mm
Hoeing width max.	450 mm
Hoe blade diameter Ø	205 mm
Number of blades	24
Motor	230 – 240 V~ / 50 Hz
Output engine	1500 W

LOGISTICAL DATA

Weight net / gros	10.4 / 12.2 kg
Packaging dimensions	580 x 485 x 365 mm
Article number	5912313901
Barcode	4046664090977
20 Container	332 pcs
40 Container	696 pcs
40 HQ Container	796 pcs



EXAMPLES OF USE

SUITABLE FOR SMALLER AND MEDIUM AREAS

Loosening the earth



Removing weeds



Preparing for seed



Adding fertiliser

**Foldable handle**

for easy transport and space-saving storage

**Comfortable handles**

Rapid start with safety switch and cable strain relief

**Large wheels**


for easy manoeuvring of the machine

**High-quality gear box**


made of die-cast aluminium

**PRODUCT DETAILS**

Max. working width 45 cm



Max. working depth 22 cm



Powerful 1500 W motor



Hoe blade Ø 205 mm



24 sheet steel blades



Transportable

**24 sheet**
steel blades**COPPER COIL**

- ✓ Long service life
- ✓ Better electric conductivity

Before tilling:
excessive roots, moss and lawn thatch.



After tilling:
loose and ready for planting.



**SPECIFICATIONS**

Dimensions L x W x H	1390 x 605 x 980 mm
Engine displacement	150 cc
Hoeing width max.	560 mm
Hoe blade diameter Ø	260 mm
Forward speed	110 min ⁻¹
Number of blades	24
Engine output	2.7 kW / 3.7 HP, 4-stroke engine

LOGISTICAL DATA

Weight net / gross	29 / 32.9 kg
Packaging dimensions	700 x 365 x 665 mm
Article number	5912311903
Barcode	4046664079828
20 Container	144 pcs
40 Container	297 pcs
40 HQ Container	396 pcs



EXAMPLES OF USE

SUITABLE FOR SMALLER AND MEDIUM AREAS

Loosening the earth



Removing weeds



Preparing for seed



Adding fertiliser





Using the depth settings, you can specify the working depth as well as direction and speed. Lowering decelerates the tiller and increases the working depth. Raising increases speed and reduces working depth.



PRODUCT DETAILS

Max. working width 36 – 56 cm Max. working depth 26 cm

4-stroke petrol engine
150 cc, 2.7 kW and 3.7 HP

Hoe blade diameter Ø 260 mm



24 sheet steel blades



Transportable



Comfortable handles
for perfect support



Protective cover
for existing plants



High-quality gear box
made of die-cast aluminium



Foldable transport wheel
Easy manoeuvring, thanks to wheel



212 CC PETROL MOTOR HOE

- Powerful 4.2 kW / 5.7 horsepower 4-stroke petrol engine, 212 cc
- **Two forward gears**, neutral and one reverse gear to ensure efficient work
- Robust design reduces vibrations to ensure a long service life
- **750 mm working width** allows quick progress
- **310 mm working depth** guarantees deep penetration to loosen the ground
- Ergonomic operation, thanks to adjustable steering bars
- Height-adjustable depth limiter allows you to set the working depth
- Blade guard protects flowers, plants and other sensitive objects from damage
- **24 blades, 310 mm diameter**, for uniform loosening of the ground
- High-quality gearbox made of die-cast aluminium
- Foldable transport wheel ensures easy transport

**Powerful 5.7 HP
4-stroke engine**

**SPECIFICATIONS**

Dimensions L x W x H	1390 x 605 x 980 mm
Engine displacement	212 cc
Hoeing width max.	750 mm
Hoe blade diameter Ø	310 mm
1. Vorwärtsgang / 2. Vorwärtsgang	87 min ⁻¹ / 112 min ⁻¹
1. Rückwärtsgang	61 min ⁻¹
Number of blades	24
Engine output	4.2 kW / 5.7 HP , 4-stroke engine

LOGISTICAL DATA

Weight net / gross	29 / 32.9 kg
Packaging dimensions	700 x 365 x 665 mm
Article number	5912316903
Barcode	4046664240631
40 HQ Container	210 pcs

INCLUDED





EXAMPLES OF USE

SUITABLE FOR MEDIUM AND LARGE AREAS

Loosening the earth



Removing weeds



Preparing for seed



Adding fertiliser





Wheels can be attached to allow easy transport.




PRODUCT DETAILS

Max. working width 750 mm Max. working depth 310 mm



4-stroke petrol engine
212 cc 4.2 kW / 5.7 HP



Hoe blade diameter Ø 310 mm



24 sheet steel blades



Transportable



Height-adjustable steering bars
allow ergonomic work



Blade guard
to protect existing plants



High-quality gear box
made of die-cast aluminium



Depth limiter
to adjust the working depth



ROTATING SIEVE

- Suitable for a wide variety of materials
- Sieve drum dia. 400 mm, length 800 mm
- Drum can be set at various angles
- Sieve mesh diameter 10 / 20 mm
- Standard sieve insert with a mesh size of 10 mm
- Sieve drum speed 42 rpm
- Throughput depending on material 3 m³/h

**SPECIFICATIONS**

Dimensions L x W x H	1040 x 665 x 1480 mm
Throughput (depending on material)	3 m ³ /h
Sieve drum Ø	400 mm
Sieve drum length	800 mm
Drum inclination	3 Stufen
Sieve drum speed	42 min ⁻¹
Sieve opening Ø	20 mm
Sieve insert with mesh (size)	10 mm
Motor	230 – 240 V~ / 50 Hz
Motor Output	250 W

LOGISTICAL DATA

Weight net / gross	32 / 37 kg
Packaging dimensions	890 x 580 x 940 mm
Article number	1904501901
Barcode	4014915089186
20 Container	48 pcs
40 Container	104 pcs
40 HQ Container	130 pcs



EXAMPLES OF USE

SUITABLE FOR


Soil




Sand



Compost



PRODUCT DETAILS

Sieve opening
20 mmSieve insert with mesh
10 mmUp to 3 m³/h sieving capacity"Drum inclination
can be adjusted in 3 steps"

Powerful 250 W motor



Speed 42 rpm



Sieved humus is perfect for creating new beds and for refining or loosening firm, older soil in beds.



Thanks to the standard wheels and the low weight of 32 kg, the rotating sieve is mobile and can be used within a wide radius.



ROTATING SIEVE

- Suitable for a wide variety of materials
- Sieve drum dia. 400 mm, length 900 mm
- Drum can be set at various angles
- Sieve mesh diameter 20 mm
- Standard sieve insert with a mesh size of 10 mm
- Sieve drum speed 42 rpm
- Throughput depending on material 3 m³/h

HEIMWERKER-TEST.DE

Scheppach Rollsieb RS 400

Oberklasse



06 / 2011

**SPECIFICATIONS**

Dimensions L x W x H	1080 x 740 x 1400 mm
Throughput (depending on material)	3 m ³ /h
Sieve drum Ø	400 mm
Sieve drum length	900 mm
Drum inclination	10° / 2 Stufen
Sieve drum speed	42 min ⁻¹
Sieve opening Ø	20 mm
Sieve insert with mesh (size)	10 mm
Motor	230 – 240 V~ / 50 Hz
Motor Output	360 W

LOGISTICAL DATA

Weight net / gross	37 / 44 kg
Packaging dimensions	1040 x 480 x 780 mm
Article number	42030000
Barcode	4014915010975
20 Container	48 pcs
40 Container	96 pcs
40 HQ Container	144 pcs



EXAMPLES OF USE

SUITABLE FOR


Soil



Sand




Compost



The standard brush strip ensures reliable cleaning of the screening drum, especially when using damp material.



PRODUCT DETAILS

Sieve opening
20 mmSieve insert with mesh
10 mmUp to 3 m³/h sieving capacityDrum inclination
can be adjusted in 2 steps


Powerful 250 W motor



Speed 42 rpm



The double-ended design of the sieve drum with V-belt completely frees up the feed opening.



0° – 8°
By selecting the drum angle, you can control the speed of the material passing through.

Sieved humus is perfect for creating new beds and for refining or loosening firm, older soil in beds



Thanks to the standard wheels and the low weight of 32 kg, the rotating sieve is mobile and can be used within a wide radius.



ELECTRIC ARTIFICIAL GRASS SWEEPER

- Electric sweeper for easy and fast cleaning of dry and flat surfaces such as synthetic turf, drives, patios or yards
- 32 cm working width
- Powerful 1500 W motor
- Can be connected to conventional 230 V~ power outlets
- Large 30 litre fabric collector for efficient collecting and easy emptying
- Foldable handle for easy and space-saving storage or transport
- Large ball-bearing mounted wheels ensure rapid progression
- Practical comfort handle
- Working depth adjustment in 4 steps from -8 to +8 mm

**SPECIFICATIONS**

Dimensions L x W x H	1000 x 450 x 1100 mm
Sweeping width	32 cm
Brush Speed	3000 min ⁻¹
Working depth	- 8 / + 8 mm
Sound pressure level	82,8 dB
Motor	230 – 240 V ~ 50 Hz
Input	1500 W

LOGISTICAL DATA

Weight net / gross	10,1 / 14,7kg
Packaging dimensions	595 x 345 x 450 mm
Article number	5908704948
Barcode	4046664221135
20 Container	420 pcs
40 Container	880 pcs
40 HQ Container	1000 pcs




EXAMPLES OF USE SUITABLE FOR

Artificial grass



Terraces



Driveways



PRODUCT DETAILS

Sweeping width



Collector



Motor



Brush Speed

Practical
strain relief

The roller brush
consists of robust,
high-quality nylon brushes



Thanks to the foldable handle, the sweeper can be transported easily and without taking up much space.



The working depth can be adjusted from -8 to +8 mm.

ELECTRIC ARTIFICIAL GRASS SWEEPER

- Electric sweeper for easy and fast cleaning of dry and flat surfaces such as synthetic turf, drives, patios or yards
- 36 cm working width
- Powerful 1800 W motor
- Can be connected to conventional 230 V power outlets
- Large 45 litre fabric collector for efficient collecting and easy emptying
- Foldable handle for easy and space-saving storage or transport
- Practical transport handle on the housing
- Large ball-bearing mounted wheels ensure rapid progression
- Practical comfort handle
- Working depth adjustment in 4 steps from -12 to +6 mm

**SPECIFICATIONS**

Dimensions L x W x H	1000 x 450 x 1100 mm
Sweeping width	36 cm
Brush Speed	3300 min ⁻¹
Working depth	- 12 / + 6 mm
Sound pressure level	108 dB
Motor	230 – 240 V ~ 50 Hz
Input	1800 W

LOGISTICAL DATA

Weight net / gross	12,7 / 14,7 kg
Packaging dimensions	595 x 345 x 450 mm
Article number	59098059953
Barcode	4046664183013
20 Container	300 pcs
40 Container	626 pcs
40 HQ Container	725 pcs




EXAMPLES OF USE SUITABLE FOR

Artificial grass



Terraces



Driveways



PRODUCT DETAILS

Sweeping width



Collector



Motor



1800 W

Brush Speed

3300 min⁻¹

Height-adjustable guide bar

allows ergonomic working



Thanks to the foldable handle, the sweeper can be transported easily and without taking up much space.



The working depth can be adjusted from -12 to +6 mm.

POWER SWEEPER WITH COLLECTING BOX & SNOW BLADE

- Speed adjustable brush
- Wheel drive that can be switched on separately
- 3 forward and 1 reverse gear
- Angle- and height adjustable brush
- Sweeping brush can be switched on and off separately
- Height-adjustable handle
- Drive wheels with sturdy tread for superior handling regardless of the surface
- 3 level control lever (engine Stop / drive / choke)
- Electric and pull starter
- Includes a large 105 cm snow blade
- Including a large collecting container

Area covered

4000 m²h

Advantages of ELECTRIC START

- No need for pull starter
- Built-in 12 V battery

5 IN 1

- ✓ Sweeping
- ✓ Collecting
- ✓ Snow plough
- ✓ Electric-start
- ✓ Self-propelled



SPECIFICATIONS

Dimensions L x W x H	1430 x 1060 x 1245 mm
Sweeping width	1000 mm
Brush Ø	350 mm
Brush Speed	180 – 350 rpm
Transmission	3 forward speeds, 1 reverse speed
Forward speed	2.52 – 4.32 km/h
Reverse speed	2.52 km/h
Engine displacement	173 cc
Engine	4.9 HP, 4-stroke engine
Power	3.6 kW

LOGISTICAL DATA

Weight net / gross	84 / 114 kg
Packaging dimensions	Sweeper: 1150 x 835 x 850 mm Snow blade: 1070 x 420 x 80 mm Collecting box: 1100 x 510 x 330 mm
Article number	5908703903
Barcode	4046664069317
20 Container	28 pcs
40 Container	56 pcs
40 HQ Container	66 pcs

EXAMPLE OF USE SUITABLE FOR

Sweeping



Collecting



Snow ploughing




Sand




Gravel




Dry leaves



Wet leaves



Rubbish



Snow

PRODUCT DETAILS

Sweeping width



1000 mm

Area covered



4000 m²/h

Brush Ø



350 mm

Brush Speed



180-350 U/min

Hybrid start function



4-gear transmission




Collector
Capacity 50 litres



ADDITIONAL ATTACHMENTS

Snow blade
105 cm wide



E-start function
allows effortless
start-up



**Angle adjustment
in 5 steps**
-25° to -12,5°; 0°;
+12,5° to +25°



Gear selector

3 forward speeds 2,5-4,3 km/h;
1 reverse speed 2,5 km/h

WASTE WATER COMBINATION PUMP 400 W

- Powerful waste water combination pump for garden irrigation or draining pool or pond water
- Suitable for clear and waste water**
- Particularly high pumping capacity of 9,000 l/h – making even large quantities of water manageable
- Robust, impact-resistant pump housing with a high-performance 400 W motor
- Maximum delivery height 6 m, maximum immersion depth 7 m**
- The float switch automatically turns off when the water level is too low, thus preventing running dry. It can also be securely attached for ongoing operation
- Durable G1" and G 1 1/2" suction and pressure ports allow easy connection of conventional garden hoses
- Easy to connect, thanks to practical quick-coupling
- Pump pressure 0.6 bar**
- Overload protection prevents overheating
- Practical handle allows mobile use
- Maximum particle size 30 mm
- Maximum water temperature 35 °C



Max. delivery rate 9000 L/h



Float switch

Carrying handle

Powerful 400 W motor

Robust, impact-resistant housing

Max. delivery rate 9000 L/h

LOGISTICAL DATA

Weight net / gross	3.6 / 4 kg
Packaging dimensions	220 x 160 x 340 mm
Article number	5909513901
Barcode	4046664255604
20 Container	2040 pcs
40 Container	4080 pcs
40 HQ Container	4760 pcs

SPECIFICATIONS

Dimensions L x W x H	300 x 150 x 420 mm
Max. delivery flow	9000 L/h
Max. delivery height	6 m
Max. submersion depth	7 m
Max. water temperature	35° C
Max. particle size	30 mm
Motor	230 V~/ 50 Hz
Input	400 W
Pressure connection	G1 1/2" = 47.8 mm 38 mm G1" = 33.2 mm 25 mm
Max. delivery pressure	0.6 bar



EXAMPLES OF USE SUITABLE FOR

Garden irrigation



Pond




Pool



ADVANTAGES

- Suitable for clear and waste water
- For versatile uses: from garden irrigation to draining a basement/construction trench
- Particularly high pumping capacity of 9000 l/h – making large quantities of water manageable as well



**Connection
(G1 1/2" and G1")**
using quick-coupling



Float switch
to protect from running dry



Base plate
allows dirt particles
up to 30 mm

PRODUCT DETAILS

Max. delivery rate
9000 L/h



Max. delivery height 6 m



Max. water temperature
35° C



Max. submersion depth
7 m



Powerful 400 motor



Max. particle size



WASTE WATER COMBINATION PUMP 750 W

- Powerful waste water combination pump for versatile uses: **from garden irrigation to draining a basement/construction trench**
- Suitable for clear and waste water**
- Particularly high pumping capacity of 20,000 l/h** – making large quantities of water manageable as well
- Rotatable base plate with suction function for shallow water** – can be configured for waste water or clear water without requiring tools
- Robust, impact-resistant pump housing with a high-performance **750 W** motor
- Maximum **delivery height 8 m**, maximum **submersion depth 7 m**
- Float switch** for automatic shutdown to protect against running dry
- Durable G1 1/2" and G1" suction and pressure ports** – allow easy connection of conventional garden hoses
- 0.8 delivery pressure**
- Easy to connect, thanks to **practical quick-coupling**
- Overload protection prevents overheating
- Practical handle allows mobile use**
- Maximum particle size **30 mm**
- Maximum water temperature **35° C**

**SPECIFICATIONS**

Dimensions L x W x H	180 x 170 x 350 mm
Max. delivery flow	20,000 L/h
Max. delivery height	8 m
Max. submersion depth	7 m
Max. water temperature	35° C
Max. particle size	30 mm
Motor	230 V~/50 Hz
Input	750 W
Pressure connection	G1 1/2" = 47.8 mm 38 mm G1" = 33.2 mm 25 mm
Max. delivery pressure	0.8 bar

LOGISTICAL DATA

Weight net / gross	4.5 / 5.1 kg
Packaging dimensions	220 x 160 x 380 mm
Article number	5909511901
Barcode	4046664223023
20 Container	1740 pcs
40 Container	3520 pcs
40 HQ Container	4128 pcs



EXAMPLES OF USE

SUITABLE FOR

Garden irrigation



Pond



Basement




Pool



ADVANTAGES

- Suitable for clear and waste water
- For versatile uses: from garden irrigation to draining a basement/construction trench
- Particularly high pumping capacity of 20,000 l/h – making large quantities of water manageable as well



Float switch
to protect from running dry




Rotatable base plate
can be configured for waste water or clear water without requiring tools


PRODUCT DETAILS

Max. delivery rate
20,000 L/h

Max. delivery height 8 m

Max. water temperature
35° CMax. submersion depth
7 m

Powerful 750 W motor



Max. particle size



Connection (G1 1/2" and G1")
using quick-coupling



Suction function
for shallow water





WASTE WATER COMBINATION PUMP 750 W

- Powerful waste water combination pump for versatile uses: from garden irrigation to draining a basement/construction trench
- Suitable for clear and waste water
- Particularly high pumping capacity of 17,500 l/h – making large quantities of water manageable as well
- Robust, impact-resistant pump housing with a high-performance 750 W motor
- Maximum delivery height 8 m, maximum submersion depth 7 m
- **Float switch** for automatic shutdown to protect against running dry
- Durable G1 1/2" and G1" suction and pressure ports – allow easy connection of conventional garden hoses
- 0.8 delivery pressure
- Overload protection prevents overheating
- Practical handle allows mobile use
- Maximum particle size 30 mm
- Maximum water temperature 35° C

**Max. delivery rate
17,500 L/h**



**Max. delivery rate
17,500 L/h**

**Powerful
750 W motor**



SPECIFICATIONS

Dimensions L x W x H	170 x 165 x 350 mm
Max. delivery flow	17,500 L/h
Max. delivery height	8 m
Max. submersion depth	7 m
Max. water temperature	35° C
Motor	230 V~ / 50 Hz
Input	750 W
Pressure connection	G1 1/2" = 47.8 mm 38 mm G1" = 33.2 mm 25 mm
Max. delivery pressure	0.8 bar

LOGISTICAL DATA

Weight net / gross	4.4 / 5 kg
Packaging dimensions	220 x 160 x 380 mm
Article number	5909512901
Barcode	4046664223030
20 Container	2060 pcs
40 Container	4120 pcs
40 HQ Container	4828 pcs



EXAMPLES OF USE

SUITABLE FOR

Garden irrigation



Pond



Basement




Pool



ADVANTAGES


- Suitable for clear and waste water
- For versatile uses: from garden irrigation to draining a basement/construction trench
- Particularly high pumping capacity of 17,500 l/h – making large quantities of water manageable as well




PRODUCT DETAILS

Max. delivery rate
17,500 L/h

Max. delivery height 8 m

Max. water temperature
35° CMax. submersion depth
7 m

Powerful 750 W motor



Max. particle size



GARDEN PUMP 1400 W

- Powerful garden pump for a variety of uses: **garden irrigation, re-circulation or drainage of a pond or pool, for example**
- Robust, impact-resistant pump housing with a **high-performance 1300 W motor**
- Maximum **delivery height 48 m**, maximum **suction height 8 m**
- **Removable pre-filter** prevents damage to the pumping unit from coarse dirt
- Maximum **delivery pressure 4.8 bar**
- **Durable G1" suction and pressure ports**
- Overload protection prevents overheating
- **Easy maintenance, thanks to water release valve**
- Practical handle allows mobile use

Max. delivery rate
6000 L/h

**SPECIFICATIONS**

Dimensions L x W x H	450 x 230 x 280 mm
Max. delivery flow	6000 L/h
Max. delivery pressure	4.8 bar
Max. delivery height	48 m
Max. suction height	8 m
Max. water temperature	35°C
Max. particle size	1 mm
Pressure connection	G1"
Motor	230 V~/ 50 Hz
Input	1300 W
Power cable length	1 m

LOGISTICAL DATA

Weight net / gross	9.85 / 11 kg
Packaging dimensions	460 x 250 x 355 mm
Article number	5909407901
Barcode	4046664222910
20 Container	820 pcs
40 Container	1680 pcs
40 HQ Container	1950 pcs




EXAMPLES OF USE SUITABLE FOR

Pumping a pond dry



Cistern




Wells



ADVANTAGES

- Variety of uses, e.g. garden irrigation using water tanks or wells as well as re-circulation and drainage of pond or pool water
- Maintenance-free operation
- Suitable for fixed installations or mobile use
- Service water use that protects resources and the environment



PRODUCT DETAILS

Max. delivery flow 6000 L/h Max. delivery height 48 m



Max. suction height 8 m




Max. pressure 4.8 bar



Powerful 1300 W motor



Robust



Pre-filter

prevents damage caused by dirt particles that may be in the supply pipe



Practical handle

allows mobile use



The connection size of G1"

allows easy connection of conventional garden hoses



Water release valve

for easy maintenance

AUTOMATIC DOMESTIC WATERWORKS WITH DISPLAY 1000 W

- To supply water to house and garden
- Service water from wells, water butts or water tanks, protecting resources
- Suitable for setting up external connections – e.g. for summer houses, garages or outbuildings
- Removable pre-filter ensures easy cleaning
- The pre-filter prevents damage caused by coarse dirt particles that may be in the supply pipe
- **Powerful 1000 W motor** in a compact housing
- Automatic mode with dry-run protection to ensure increased operational safety
- **Delivery volume 3800 litres per hour**
- Max. suction height 8 m, max. delivery height 36 m at max. 3.6 bar
- LCD monitor to check and configure all pump functions
- Lightweight, robust and easy to transport using the carrying handle
- 3 modes can be chosen: Automatic, Timer and Continuous Operation

Max. delivery rate

3800 L/h



3 modes: Automatic, timer, continuous operation



LOGISTICAL DATA

Weight net / gross	8,2 / 9,4 kg
Packaging dimensions	485 x 183 x 320 mm
Article number	5909410901
Barcode	4046664233589
20 Container	730 pcs
40 Container	1510 pcs
40 HQ Container	1770 pcs

SPECIFICATIONS

Dimensions L x W x H	480 x 200 x 300 mm
Max. delivery flow	3800 L/h
Max. delivery pressure	3,6 bar
Max. delivery height	36 m
Max. suction depth	8 m
Max. water temperature	35°C
Pressure connection	1 inch / 25,4 mm
Motor	230 V~ / 50 Hz
Input	1000 W
Power cable	1,5 m



EXAMPLES OF USE SUITABLE FOR

Water supply



Cistern



Wells




The pre-filter prevents damage caused by coarse dirt particles that may be in the supply pipe.



LCD monitor



LCD monitor to check and configure all pump functions.




Carrying handle

Practical carrying handle ensures easy transport .



ADVANTAGES

- Variety of uses, e.g. garden irrigation using water tanks or wells as well as re-circulation and drainage of pond or pool water
- Maintenance-free operation
- Suitable for mobile use
- Service water use that protects resources and the environment



Max. delivery rate
4300 L/h



Max. delivery
rate 4300 L/h

Pre-filter

Suction height 8 m



SPECIFICATIONS

Dimensions L x W x H	445 x 270 x 500 mm
Max. delivery flow	4300 L/h
Switch-on pressure	1.5 bar
Switch-off pressure	3 bar
Max. delivery pressure	4.4 bar
Max. suction height	7 m
Max. water temperature	35°C
Max. particle size	1 mm
Tank capacity	19 L
Pressure connection	G1
Motor	230 V~/50 Hz
Input	1000 W
Power cable length	1 m

DOMESTIC WATERWORKS 1000 W

- Powerful domestic waterworks to supply water to house and garden
- Service water from wells, water butts or water tanks, protecting resources
- Perfect for frequent use of small quantities of water, e.g. flushing the toilet
- Robust, impact-resistant pump housing with a high-performance 1,000 W motor
- Removable pre-filter prevents damage to the pumping unit from coarse dirt
- Durable G1" suction and pressure ports – allow easy connection of conventional garden hoses
- Compensation tank stores water making the domestic waterworks particularly efficient and lowering energy costs
- Maximum delivery height 44 m, maximum suction height 7 m
- Maximum delivery pressure 4.4 bar
- Integrated pressure gauge shows the current tank pressure
- Practical handle allows mobile use
- 4,300 litres/h pumping capacity
- Maximum water temperature 35 °C
- 19 litres tank capacity

Powerful
1000 W motor

19 L tank capacity

Integrated pressure
display 4.4 bar



LOGISTICAL DATA

Weight net / gross	11.7 / 15.1 kg
Packaging dimensions	460 x 285 x 585 mm
Article number	5908608901
Barcode	4046664217749
20 Container	390 pcs
40 Container	780 pcs
40 HQ Container	880 pcs



EXAMPLES OF USE SUITABLE FOR

House



Cistern



Wells



The pre-filter prevents damage caused by dirt particles that may be in the supply pipe



The connection size of G1" allows easy connection of conventional garden hoses.



PRODUCT DETAILS

Max. delivery rate 4300 L/h Max. delivery height 44 m



Max. suction height 7 m



Max. delivery pressure 4.4 bar



Powerful 1000 W motor




Robust



ADVANTAGES

- Perfect for frequent use of small quantities of water, e.g. flushing the toilet
- Compensation tank stores water making the domestic waterworks highly efficient and lowering energy costs



Practical handle allows mobile use.



DOMESTIC WATERWORKS 1300 W

- Powerful domestic waterworks to supply water to house and garden
- Service water from wells, water butts or water tanks, protecting resources
- Perfect for frequent use of small quantities of water, e.g. flushing the toilet
- Robust, impact-resistant pump housing with a high-performance 1300 W motor
- Removable pre-filter prevents damage to the pumping unit from coarse dirt
- Durable G1" suction and pressure ports – allow easy connection of conventional garden hoses
- Compensation tank stores water making the domestic waterworks particularly efficient and lowering energy costs
- Maximum delivery height 48 m, maximum suction height 8 m
- Maximum delivery pressure 4.8 bar
- Integrated pressure gauge shows the current tank pressure
- Practical handle allows mobile use
- 6000 L/h delivery rate
- Maximum water temperature 35° C
- 24 L tank capacity
- Switch-on pressure 1.5 bar, Switch-off pressure 3 bar



**Max. delivery rate
6000 L/h**



**Powerful
1300 W motor**

Pre-filter

Carrying handle

**Max. delivery
rate 6000 L/h**

Pressure gauge

**24 L tank
capacity**

**Robust, impact-
resistant housing**

SPECIFICATIONS

Dimensions L x W x H	500 x 290 x 570 mm
Max. delivery flow	6000 L/h
Max. delivery pressure	4.8 bar
Switch-on pressure	1.5 bar
Switch-off pressure	3 bar
Max. delivery height	48 m
Max. suction height 8 m	8 m
Max. water temperature	35°C
Max. particle size	1 mm
Tank capacity	24 L
Pressure connection	G1"
Motor	230 V~/ 50 Hz
Input	1300 W
Power cable length	1 m

LOGISTICAL DATA

Weight net / gross	14.8 / 16.3 kg
Packaging dimensions	540 x 290 x 620 mm
Article number	5908609901
Barcode	4046664222903
20 Container	310 pcs
40 Container	630 pcs
40 HQ Container	720 pcs




EXAMPLES OF USE SUITABLE FOR

House



Cistern



Wells



Practical handle allows mobile use.



The connection size of G1" allows easy connection of conventional garden hoses.

PRODUCT DETAILS

Max. delivery rate 6000 L/h Max. delivery height 48 m



Max. suction height 8 m



Max. delivery pressure 4.8 bar



Powerful 1300 W motor




Robust



ADVANTAGES

- Perfect for frequent use of small quantities of water, e.g. flushing the toilet
- Compensation tank stores water making the domestic waterworks highly efficient and lowering energy costs



The pre-filter prevents damage caused by dirt particles that may be in the supply pipe.



2IN1

- ✓ Rain barrel pump
- ✓ Submersible pump

RAIN BARREL PUMP 350 W

- Practical water butt pump for garden irrigation from the water butt, protecting resources
- 2-in-1 function: additional connection port allows easy conversion of the water butt pump to a submersible pump
- Robust, impact-resistant pump housing with a high-performance 350 W motor
- Delivery rate 5500 L/h
- Durable, corrosion-resistant aluminium pipes
- No need for tools during the installation, thanks to practical screw fasteners
- Float switch prevents running dry
- 1.1 bar delivery pressure
- Maximum delivery height 11 m, maximum submersion depth 7 m
- Practical handle allows mobile use
- Practical mounting hook
- Easy connection using quick-coupling – compatible with conventional hose systems
- Integrated dirt filter – easy to clean

Max. delivery rate
5500 L/h



Quick-coupling

Max. delivery rate 5500 L/h

Max. delivery height 11 m

Powerful
350 W motor

Integrated
dirt filter

LOGISTICAL DATA

Weight net / gross	3.8 / 4.5 kg
Packaging dimensions	220 x 180 x 340 mm
Article number	5909408901
Barcode	4046664223054
20 Container	1816 pcs
40 Container	3636 pcs
40 HQ Container	4260 pcs

SPECIFICATIONS

Dimensions L x W x H	180 x 165 x 270 mm
Max. delivery flow	5500 L/h
Max. suction height	11 m
Max. water temperature	35°C
Motor	230 V~ / 50 Hz
Input	350 W



EXAMPLES OF USE

SUITABLE FOR

Garden irrigation



Shut-off valve



Practical bracket
for the water butt



Easy to transport,
thanks to carrying handle



Integrated dirt filter
easy to clean

PRODUCT DETAILS

Max. delivery rate
5500 L/h



Max. delivery height 11 m




Max. water temperature
35° C



Flat intake –
suitable for clear water
with dirt particles



submersion depth 7 m



Max. delivery pressure
1.1 bar



ADVANTAGES

- To remove water from water butts or cisterns
- Integrated and easy-to-clean fine filter
- Simple installation and operation
- 2-in-1 function: submersible pump/ Rain barrel pump



No need for tools
thanks to practical screw
fasteners



Float switch
to protect from running dry

SUBMERSIBLE PUMP 250 W

- Powerful submersible pump for **garden irrigation** from water tanks or water butts, **saving resources**
- Perfect for **pumping clear water**
- Robust, impact-resistant pump housing with a high-performance **250 W** motor
- Maximum particle size **5 mm**
- **0.6 bar** delivery pressure
- **Float switch** for automatic shutdown to protect against running dry
- Maximum **delivery height 6 m**, maximum **submersion depth 6 m**
- Durable **G1 1/2" and G1"** suction and pressure ports – allow easy connection of conventional garden hoses
- Overload protection prevents overheating
- Large **working radius**, thanks to the cable length of 10 m
- **Max. delivery rate 6875 L/h**
- Practical handle allows mobile use
- Maximum water temperature **35° C**



**Max. delivery rate
6875 L/h**



Float switch

Carrying handle

**Powerful
250 W motor**

**Robust, impact-
resistant housing**

SPECIFICATIONS

Dimensions L x W x H	160 x 230 x 300 mm
Max. delivery flow	6875 L/h
Max. submersion depth	6 m
Max. delivery height	6 m
Max. water temperature	35°C
Max. particle size	5 mm
Pressure connection	G1 1/2" / 50 Hz
Motor	230 V~ / 50 Hz
Input	250 W
Max. delivery pressure	0.6 bar

LOGISTICAL DATA

Weight net / gross	3.5 / 3.9 kg
Packaging dimensions	220 x 160 x 310 mm
Article number	5909510901
Barcode	4046664222927
20 Container	1844 pcs
40 Container	3692 pcs
40 HQ Container	4328 pcs



EXAMPLES OF USE SUITABLE FOR


Garden irrigation



Pond



Cistern




Water butt



ADVANTAGES


- Perfect for pumping clear water
- Reliable irrigation of gardens from water tanks or water butts




PRODUCT DETAILS

Max. delivery rate
6875 L/h

Max. delivery height 6 m

Max. water temperature
35° CMax. submersion depth
6 m

Powerful 250 W motor



Max. particle size



Float switch

for automatic shutdown to protect against running dry

Scheppach

made for your project

Scheppach GmbH
Günzburger Str. 69 | D-89335 Ichenhausen | Fon 00 49/82 23/40 02-99 | Fax 00 49/82 23/40 02-153
bestelleingang@scheppach.com | www.scheppach.com